

MADE FOR THE SMART GENERATION



Retail Products Price List

Maximum Retail Price Effective from 01-07-2021



Smart Ideas for the Smart Generation

L&T Electrical and Automation brings you an inspiring range of modular switches that is a true example of Engineering Excellence. With futuristic features and contemporary designs, each of the distinct ranges are smart crafted with the modern Indian home in mind. Smartly, this catalog to find a product that matches your style.

Contents

Pg No
04-15



Tripper

Pg No
16-25



englaze

Pg No
26-35



entice

Pg No
36-41



enGem

Pg No
42-46



ORIS

Trip~~per~~per[®]

FINAL DISTRIBUTION PRODUCTS






World Class Safety Standards

Tripper products conform to relevant global standards viz., IEC, EN and IS. They also have CE/ISI marking and DEKRA certification.



Safety Redefined

Finger proof terminals eliminate chances of accidental contact with live parts. You can install, operate and maintain tripper with total confidence.



Energy Limiting Class - 3

If fault occurs, the rapid arc quenching mechanism operates and extinguishes the arc quickly, ensuring lowest possible energy flow through the circuit. This minimizes risk of fire and maximizes life of your equipment.



Safety Meets Superior Aesthetics

Ergonomically designed, profiled for superior cooling and manufactured with fire retardant material. Tripper offers user safety combined with elegance.



True Contact Indication

Tripper range enhances safety through true contact indication even from a distance regardless of it's knob position. Red and Green indication flag positively identifies the electrical ON/OFF status.



Innovatively Profiled Breathing Channels

When two or more poles are placed adjacent to each other, the breathing channels are so profiled that the air circulates around individual pole, resulting in cooler operation, year after year.




Large Terminal Size & Biconnect

Tripper can easily accommodate cables of up to 35 sq.mm. Biconnect terminals offer convenience of connecting both cable and bus bar.




Two Position DIN Rail Clip

Installation on a DIN rail is further simplified with a two position DIN rail clip as a standard feature. Tripper range makes mounting on a standard DIN rail more convenient.



Non-Welding Contacts

Silver Graphite contact tips ensure higher life and maximum safety against contact welding due to it's superior anti-welding properties, enhancing safety and life of the system.



Combihead Screw

Tripper range of products provided with combihead screws allow you to use standard as well as Phillips screwdrivers, offering flexibility.



HIGHLIGHTS

- marked, marked
- Conforms to IS/IEC 60898 - 6 kA
- Higher life with use of heavy duty contacts
- Innovatively designed breathing channels between poles ensure cooler operation
- Energy saving - watt loss approximately 50% lower than those prescribed by IEC standard
- Manufactured with high quality fire retardant material
- True contact indication for enhanced safety




Single Pole

Double Pole

MINIATURE CIRCUIT BREAKERS (MCBs) - B CURVE

Description	Single Pole	
	Cat No	MRP/Unit in ₹
6A B Curve	BA10060B	191
10A B Curve	BA10100B	191
16A B Curve	BA10160B	191
20A B Curve	BA10200B	191
25A B Curve	BA10250B	191
32A B Curve	BA10320B	191
40A B Curve	BA10400B	430



Single Pole

Double Pole

Three Pole

Four Pole

MINIATURE CIRCUIT BREAKERS (MCBs) - C CURVE

Description	Single Pole		Double Pole		Three Pole		Four Pole	
	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹
6A C Curve	BA10060C	191	BA20060C	670	BA30060C	1100	BA40060C	1460
10A C Curve	BA10100C	191	BA20100C	670	BA30100C	1100	BA40100C	1460
16A C Curve	BA10160C	191	BA20160C	670	BA30160C	1100	BA40160C	1460
20A C Curve	BA10200C	191	BA20200C	670	BA30200C	1100	BA40200C	1460
25A C Curve	BA10250C	191	BA20250C	670	BA30250C	1100	BA40250C	1460
32A C Curve	BA10320C	191	BA20320C	670	BA30320C	1100	BA40320C	1460
40A C Curve	BA10400C	430	BA20400C	980	BA30400C	1570	BA40400C	1930
63A C Curve	BA10630C	485	BA20630C	1090	BA30630C	1690	BA40630C	2110

Note: Standard Pack Quantity for MCB: SP - 12 Nos., DP - 6 Nos., TP - 4 Nos., FP - 3 Nos.



HIGHLIGHTS

- marked, marked
- Conforms to IS 12640 - 1, IEC 61008-1
- Available in DP & FP versions from 25A to 63A ratings with 30mA, 100mA & 300mA sensitivity
- Operates on Core Balance Current Transformer (CBCT) principle
- Finger proof IP20 terminals



RESIDUAL CURRENT CIRCUIT BREAKERS/EARTH LEAKAGE CIRCUIT BREAKERS (RCCBs/ELCBs)



Double Pole



Four Pole

Description	Double Pole		Four Pole	
	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹
25A 30mA	BC202503	2435	BC402503	3200
25A 100mA	BC202510	2525	BC402510	3260
25A 300mA	BC202530	2525	BC402530	3260
40A 30mA	BC204003	2695	BC404003	3255
40A 100mA	BC204010	2710	BC404010	3320
40A 300mA	BC204030	2710	BC404030	3320
63A 30mA	BC206303	3445	BC406303	3620
63A 100mA	BC206310	3485	BC406310	3660
63A 300mA	BC206330	3485	BC406330	3660

HIGHLIGHTS

- marked
- Conforms to IEC 60947 - 3
- Higher life with use of heavy duty contacts
- Innovatively designed breathing channels between poles ensure cooler operation
- Manufactured with high quality fire retardant material
- True contact indication for enhanced safety



Double Pole



Three Pole



Four Pole



ISOLATORS

Description	Double Pole		Three Pole		Four Pole	
	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹
40A Isolator	BE204000	415	BE304000	725	BE404000	935
63A Isolator	BE206300	520	BE306300	825	BE406300	965
100A Isolator	BE210000	705	BE310000	980	BE410000	1170

Note: Standard Pack Quantity for Isolator : DP - 6 Nos., TP - 4 Nos., FP - 3 Nos.

HIGHLIGHTS

- CE marked
- Conforms to IEC 60947-6, IEC 60947-3
- Wide Range of Current Ratings
 - Generator Side - 1.5A to 30A
 - Electricity Board Side - 30A
- No. of Poles 1P+N, for single phase applications
- Protection Degree - IP20
- Reliable microcontroller based design for sensing & control
- Lower power consumption
- RoHS compliant



ACCL



AUTOMATIC CHANGEOVER WITH CURRENT LIMITER(ACCL)

Description EB/DG	Modules	Cat No	MRP/Unit in ₹
30A/1.5A	4	BCL010301E5	1970
30A/2.5A	4	BCL010302E5	1970
30A/3A	4	BCL01030003	1970
30A/4A	4	BCL01030004	1970
30A/5A	4	BCL01030005	1970
30A/6A	4	BCL01030006	1970
30A/8A	4	BCL01030008	1970
30A/10A	4	BCL01030010	1970
30A/12A	4	BCL01030012	1970
30A/15A	4	BCL01030015	1970
30A/20A	4	BCL01030020	1970
30A/30A#	4	BCL01030030	1970


#Non current limiting variant

HIGHLIGHTS

- Conforms to IEC 60947-3
- Available with 3 positions (I-O-II) with centre off position
- Utilization category AC-22A



Double Pole



Four Pole

MODULAR CHANGEOVER SWITCHES

Double Pole				Four Pole			
Description	Modules	Cat No	MRP/Unit in ₹	Description	Modules	Cat No	MRP/Unit in ₹
25A	2	AUC00202500	1455	40A	4	AUC00404000	3835
40A	2	AUC00204000	2225	63A	6	AUC00406300	4350
63A	3	AUC00206300	2590				



HIGHLIGHTS

- marked, marked
- Conforms to IS 12640-2, IEC 61009-1
- Combination of ELCB & MCB (EL+MCB) offers 3 in 1 protection against - overload, short circuit and earth leakage
- Easy fault identification -
 1. Over current fault : MCB side knob trips
 2. Leakage current fault : Both MCB and ELCB side knobs trip



Double Pole



Four Pole

Note: Standard Pack Quantity for EL+MCB: DP - 8 Nos., FP - 6 Nos.



EARTH LEAKAGE + MINIATURE CIRCUIT BREAKER - EL+MCB (RCBO)

Description	Double Pole				
	Cat No (30 mA)	MRP/Unit in ₹	Cat No (100 mA)	Cat No (300 mA)	MRP/Unit in ₹
6A 2P EL+MCB	CB900010OTO	3550	CB900030OTO	CB900050OTO	3680
10A 2P EL+MCB	CB900010OVO	3550	CB900030OVO	CB900050OVO	3680
16A 2P EL+MCB	CB900010OBO	3550	CB900030OBO	CB900050OBO	3680
20A 2P EL+MCB	CB900010OCO	3550	CB900030OCO	CB900050OCO	3680
25A 2P EL+MCB	CB900010ODO	3550	CB900030ODO	CB900050ODO	3680
32A 2P EL+MCB	CB900010OEO	3990	CB900030OEO	CB900050OEO	3915
40A 2P EL+MCB	CB900010OFO	3990	CB900030OFO	CB900050OFO	3915
63A 2P EL+MCB	CB900010OHO	4895	CB900030OHO	CB900050OHO	4670

EARTH LEAKAGE + MINIATURE CIRCUIT BREAKER - EL+MCB (RCBO)

Description	Four Pole				
	Cat No (30 mA)	MRP/Unit in ₹	Cat No (100 mA)	Cat No (300 mA)	MRP/Unit in ₹
6A 4P EL+MCB	CB900020OTO	4215	CB900040OTO	CB900060OTO	4120
10A 4P EL+MCB	CB900020OVO	4215	CB900040OVO	CB900060OVO	4120
16A 4P EL+MCB	CB900020OBO	4215	CB900040OBO	CB900060OBO	4120
20A 4P EL+MCB	CB900020OCO	4215	CB900040OCO	CB900060OCO	4120
25A 4P EL+MCB	CB900020ODO	4215	CB900040ODO	CB900060ODO	4120
32A 4P EL+MCB	CB900020OEO	4550	CB900040OEO	CB900060OEO	4335
40A 4P EL+MCB	CB900020OFO	4550	CB900040OFO	CB900060OFO	4335
63A 4P EL+MCB	CB900020OHO	5390	CB900040OHO	CB900060OHO	5035



VALUE + STYLE

The Tripbox PLUS range of Distribution Boards offer the perfect blend of aesthetics and value. Crafted for modern homes, its features ensure ease of installation, enhanced safety and protection with a dash of style.



SAFETY WITH STYLE

Options for flush and surface mounting


Powder - coated, matte finish - RAL9003

Insulated Busbar



As per IS 8623 Standards

Shrouded neutral bars to avoid accidental contact with live parts




EASE OF INSTALLATION

Reversible door for double door Distribution Boards to adapt to site conditions



More space for ease of wiring



PROTECTION FROM DAMAGE

CRCA sheet steel for extra durability

Plastic corners for corner protection




Cement spill protector - To protect DB interior from cement splashes during civil work



SPN DISTRIBUTION BOARDS

- As per IS 8623
- Available in 4, 6, 8, 12 & 16 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bar, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal and glazed door
- With provision for DP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing



Double Door

Double Door Glazed

SPN DISTRIBUTION BOARDS

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4-Way	2	2	PH104DDB	1385	PH104DDG	1775
6-Way	2	4	PH106DDB	1595	PH106DDG	1905
8-Way	2	6	PH108DDB	1720	PH108DDG	2075
12-Way	2	10	PH112DDB	2065	PH112DDG	2510
16-Way	2	14	PH116DDB	2580	PH116DDG	3105

TPN DISTRIBUTION BOARDS

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal and glazed door
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing



Double Door

Double Door Glazed

TPN DISTRIBUTION BOARDS

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4-Way	8	4+4+4	PH304DDB	3375	PH304DDG	4380
6-Way	8	6+6+6	PH306DDB	4200	PH306DDG	5425
8-Way	8	8+8+8	PH308DDB	5015	PH308DDG	6495
12-Way	8	12+12+12	PH312DDB	7405	PH312DDG	10035

HORIZONTAL PPI (PER PHASE ISOLATION) DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoing



Double Door

HORIZONTAL PPI (PER PHASE ISOLATION) DBs

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4-Way	8	2+2+2	4+4+4	PHP304DDB	5470
6-Way	8	2+2+2	6+6+6	PHP306DDB	6550
8-Way	8	2+2+2	8+8+8	PHP308DDB	7815
12-Way	8	2+2+2	12+12+12	PHP312DDB	10655

PHASE SEGREGATED DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoing



Double Door

PHASE SEGREGATED DBs

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4-Way	8	4+4+4	4+4+4	PHS304DDB	8700
6-Way	8	4+4+4	6+6+6	PHS306DDB	9820
8-Way	8	4+4+4	8+8+8	PHS308DDB	10965
12-Way	8	4+4+4	12+12+12	PHS312DDB	13965

PHASE SELECTOR DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Provided with 63A Selector Switches
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing



Double Door

PHASE SELECTOR DBs

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	8	4+4+4	PHC04DDB	11945
6-Way	8	6+6+6	PHC06DDB	12225
8-Way	8	8+8+8	PHC08DDB	12965
12-Way	8	12+12+12	PHC12DDB	14550

VTPN DBs WITH MODULAR INCOMER

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, Insulated vertical phase bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP/TP MCBs as outgoing



Double Door

VTPN DBs WITH MODULAR INCOMER

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	8	4+4+4	PHV304DDB	8185
6-Way	8	6+6+6	PHV306DDB	9710
8-Way	8	8+8+8	PHV308DDB	10905
12-Way	8	12+12+12	PHV312DDB	14430

VTPN DBs WITH MCCB INCOMER

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, Insulated vertical phase bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for MCCB as incomer and SP/TP MCBs as outgoing
- Suitable for 3P/4P MCCB as incomer upto 125A - DY125U



Double Door

VTPN DBs WITH MCCB INCOMER

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	MCCB	4+4+4	PHV304DYM	9720
6-Way	MCCB	6+6+6	PHV306DYM	11475
8-Way	MCCB	8+8+8	PHV308DYM	12355
12-Way	MCCB	12+12+12	PHV312DYM	15975

ENCLOSURES

- As per IS 8623
- Available in 2, 3, 4 & 6 way
- With provision to mount MCB/Isolator/RCCB/RCBO or other modular devices



Single Door

PLUG & SOCKET DBs

- As per IS 8623
- SPN 10A & 20A; TPN - 32A
- With provision to mount MCBs/RCCBs



Single Door

METAL PLUG & SOCKET

- Designed to ensure safe functioning of electrical equipment and the user safety
- Plugs & Sockets find its applications at air conditioners, welding machines, industrial equipment, etc., are made of non corrosive aluminum alloy
- Conforms to IS 8804



Metal Plug

Metal Socket

ENCLOSURES

Description	Modules	Single Door	MRP/Unit in ₹
2-Way	2	PHE02DB	400
3-Way	3	PHE03DB	445
4-Way	4	PHE04DB	445
6-Way	6	PHE06DB	670

PLUG & SOCKET DBs

Description	No. of Pins	Modules	Single Door	MRP/Unit in ₹
10A, 2 Pin+SC^	P+N	1	PMP110DB	1015
20A, 2 Pin+SC^	P+N	1	PMP120DB	1080
20A, 2 Pin+SC^	P+N	2	PMP220DB	1180
32A, 3 Pin+SC^	3P	3	PMP332DB	2795

SC^ - Scrapping Earth

METAL PLUG & SOCKET

Description	No. of Pins	Cat No	MRP/Unit in ₹
Metal Plug			
10A, 2 Pin+SC^	P+N	MPS210P	165
20A, 2 Pin+SC^	P+N	MPS220P	170
20A, 3 Pin+SC^	3P	MPS320P	230
32A, 3 Pin+SC^	3P	MPS332P	430
Metal Socket			
10A, 2 Pin+SC^	P+N	MPS210S	165
20A, 2 Pin+SC^	P+N	MPS220S	190
20A, 3 Pin+SC^	3P	MPS320S	255
32A, 3 Pin+SC^	3P	MPS332S	430

SC^ - Scrapping Earth

Note: Standard Pack Quantity for Metal Plug & Socket - 20 Nos.



Single Door



Double Door

SINGLE PHASE NEUTRAL (SPN) DBs

Description	Modules		Single Door	MRP/Unit in ₹	Double Door	MRP/Unit in ₹
	Incomer	Outgoing				
4 way	2	2	BH104SDB	805	BH104DDB	1305
6 way	2	4	BH106SDB	885	BH106DDB	1455
8 way	2	6	BH108SDB	1005	BH108DDB	1615
12 way	2	10	BH112SDB	1335	BH112DDB	1970
16 way	2	14	BH116SDB	1665	BH116DDB	2420

HIGHLIGHTS

- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bar, Neutral bar/s & Earth bar/s
- Superior quality powder coating for better looks and longer life
- DB is suitable for surface or flush mounting



Single Door



Double Door

THREE PHASE NEUTRAL (TPN) DBs

Description	Modules		Single Door	MRP/Unit in ₹	Double Door	MRP/Unit in ₹
	Incomer	Outgoing				
4 way	8	4+4+4	BH304SDB	2485	BH304DDB	3260
6 way	8	6+6+6	BH306SDB	3070	BH306DDB	3945
8 way	8	8+8+8	BH308SDB	3550	BH308DDB	4785
12 way	8	12+12+12	BH312SDB	4910	BH312DDB	6710



Double Door

PHASE SELECTOR DBs

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4 way	8	4+4+4	BHC04DDB	10210
6 way	8	6+6+6	BHC06DDB	10880

Provided with 40A selector switches

englaze

#SWITCHUP

When you have stepped beyond the ordinary, every step you take elevates you. Every step is a switch up. Flawlessly flat and majestically minimal, englaze would silently stay a testament to your taste, the life you lived and the world you built around you.

**SWITCH UP TO THE EXTRAORDINARY.
SWITCH UP TO ENGLAZE.**





ANTI-BACTERIAL

No need to keep disinfecting your switches. No one can tarnish the silver infused Englaze range that stays anti-bacterial forever.



FABULOUSLY FLAT LOOK

Englaze is designed to look flat from every angle. With super thin plates and carefully crafted switches, these don't bulge or clutter, they just stay pretty.



SMART CONNECTORS

Don't go searching for adapters now, plug in everything directly with smart connectors. HDMI, VGA, RCA, USB for data & charging and just about everything you need.



GLAMOROUSLY WIDE

The two module switches add glamour to your walls with its uniquely sleek and chic style.



BEAUTIFULLY BRIDGELESS

Our design philosophy allows no room for gaps. Every element seamlessly flows into the next like a well written poem.



SAFETY SHUTTERS

Go ahead and let your children be mischievous. Every socket is carefully designed with safety shutters to keep them safe.



INDICATIVE REGULATORS

Don't worry about fumbling with the regulators anymore, these beauties come with indicators that tell you exactly what speed its on. Plus, its so pretty!



INDICATIVE ILLUMINATION

Like fireflies, the indicator switches illuminate with grace, using long life LEDs.



SWITCHES - 1 MODULE



Description	Snow White			Mountain Grey		
	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
Switch 10 AX 1-Way 1M	CB92101SW10	179	20	CB92101SM10	206	20
Switch 10 AX 1-Way with Indicator 1M	CB92301SW10	293	20	CB92301SM10	368	20
Switch 10 AX 2-Way 1M	CB92201SW10	279	20	CB92201SM10	348	20
Switch 16 AX 1-Way 1M	CB92101SW16	327	20	CB92101SM16	408	20
Switch 16 AX 1-Way with Indicator 1M	CB92301SW16	393	20	CB92301SM16	492	20
Switch 16 AX 2-Way 1M	CB92201SW16	393	20	CB92201SM16	492	20
Switch 20 A 1-Way 1M	CB92101SW20	406	20	CB92101SM20	508	20
Switch 20A 1-Way with Indicator 1M	CB92301SW20	492	20	CB92301SM20	615	20
Switch 20A 2-Way 1M	CB92201SW20	492	20	CB92201SM20	615	20
New Switch 25 A 1-Way 1M	CB92101SW25	437	20	CB92101SM25	552	20
New Switch 25A 1-Way with Indicator 1M	CB92301SW25	535	20	CB92301SM25	667	20

SWITCHES - 2 MODULE (MEGA SWITCHES)



Description	Snow White			Mountain Grey		
	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
Switch 20A DP with Indicator 2M	CB92402SW20	634	10	CB92402SM20	794	10
Switch 32A DP with Indicator 2M	CB92402SW32	758	10	CB92402SM32	948	10
Switch 10 AX 1-Way 2M	CB92102SW10	263	10	CB92102SM10	328	10
Switch 10 AX 1-Way with Indicator 2M	CB92302SW10	352	10	CB92302SM10	442	10
Switch 10 AX 2-Way 2M	CB92202SW10	334	10	CB92202SM10	419	10
Switch 16 AX 1-Way 2M	CB92102SW16	391	10	CB92102SM16	489	10
Switch 16 AX 1-Way with Indicator 2M	CB92302SW16	472	10	CB92302SM16	590	10
Switch 16 AX 2-Way 2M	CB92202SW16	472	10	CB92202SM16	590	10
Switch 20 A 1-Way 2M	CB92102SW20	488	10	CB92102SM20	610	10
Switch 20 A 1-Way with Indicator 2M	CB92302SW20	590	10	CB92302SM20	737	10
Switch 20 A 2-Way 2M	CB92202SW20	590	10	CB92202SM20	737	10

- All Switches and bell push are ISI marked and conforms to IS 3854: 1997
- "AX" rating for switches are suitable to fluorescent lights also.





CB92101BW10 CB92301BW10 CB92102BW10 CB92302BW10



CB92101BM10 CB92301BM10 CB92102BM10 CB92302BM10



CB92102MW20 CB92102MM20
CB92102MW25 CB92102MM25



CB92101DM04 CB92102DM10 CB921101RM01 CB92102RM02

BELL PUSH

Description	Snow White			Mountain Grey		
	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
Bell Push 10A 1M	CB92101BW10	291	20	CB92101BM10	365	20
Bell Push 10A with Indicator 1M	CB92301BW10	337	20	CB92301BM10	420	20
Bell Push 10A 2M	CB92102BW10	377	10	CB92102BM10	470	10
Bell Push 10A with Indicator 2M	CB92302BW10	431	10	CB92302BM10	541	10

MOTOR STARTER

Description	Snow White			Mountain Grey		
	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
Motor Starter 20A 2M	CB92102MW20	1124	10	CB92102MM20	1405	10
Motor Starter 25A 2M	CB92102MW25	1147	10	CB92102MM25	1434	10

FAN REGULATORS & DIMMERS


Description	Snow White			Mountain Grey		
	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
Dimmer 400 W 1M	CB92101DW04	845	10	CB92101DM04	1057	10
Dimmer 1000 W 2M	CB92102DW10	1356	5	CB92102DM10	1696	5
Fan Regulator 4-Step 80W 1M	CB92101RW01	785	10	CB92101RM01	982	10
Fan Regulator 5-Step 120W 2M with ISI	CB92102RW02	1038	5	CB92102RM02	1298	5

- 5 step fan regulator conforms to IS 11037: 1984 and comes with "flag indicator".
- All fan regulators are with 360 degree rotation.
- Dimmers only support incandescent and halogen load.





POWER SOCKETS



- 6A 3 Pin , 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.

Description	Snow White			Mountain Grey		
	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
Socket 6A 2-Pin Euro Type 1M	CB92101CW06	251	20	CB92101CM06	313	20
Socket 6A 3 Pin with ISI 2M	CB92602CW06	287	10	CB92602CM06	359	10
Socket 6A 5 Pin 2M	CB92302CW06	294	10	CB92302CM06	366	10
Socket 6A 2/3 Pin 2M	CB92202CW06	296	10	CB92202CM06	371	10
Socket 6A/16A 3 Pin Combi with ISI 2M	CB92302CW16	450	10	CB92302CM16	536	10
Socket 10A/25A 3 Pin Combi 2M	CB92302CW25	520	10	CB92302CM25	622	10
Socket 6A/16A 3 Pin Combi with ISI 3M	CB92303CW16	599	5	CB92303CM16	718	5
Socket 10A/25A 3 Pin Combi 3M	CB92303CW25	623	5	CB92303CM25	746	5
Universal Socket 13A 2M	CB92402CW13	388	10	CB92402CM13	474	10

DATA SOCKETS



Description	Snow White			Mountain Grey		
	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
RJ 11 Socket with Shutter 1M	CB92101TW11	248	20	CB92101TM11	311	15
Twin RJ 11 Socket with Shutter 1M	CB92201TW11	338	20	CB92201TM11	423	15
RJ 45 Cat 5e Socket with Shutter 1M	CB92101TW45	794	20	CB92101TM45	994	15
RJ 45 Cat 6 Socket with Shutter	CB92201TW45	883	20	CB92201TM45	1104	15
TV Socket 1M	CB92101TW00	242	20	CB92101TM00	302	15
RCA Connector 1M	CB92201TW00	2943	20	CB92201TM00	3517	15
HDMI Connector 1M	CB92301TW00	2407	20	CB92301TM00	2878	15
USB Connector 1M	CB92401TW00	2052	20	CB92401TM00	2452	15
VGA Connector 1M	CB92501TW00	2229	20	CB92501TM00	2665	15



CB92101AW00 CB92102LW00 CB92101AW02 CB92401AW00 CB92502AW10



CB92402AW00 CB92701AW00

ACCESSORIES

Description	Snow White			Mountain Grey		
	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
Buzzer 2M	CB92102AW00	580	5	CB92102AM00	693	5
Cable Outlet 1M	CB92101AW00	196	20	CB92101AM00	236	15
Blank Off Unit 1M	CB92201AW00	52	20	CB92201AM00	62	20
LED Foot Light 2M (GST @12%)	CB92102LW00	1167	5	CB92102LM00	1398	5
USB Charger 2A 1M	CB92101AW02	1984	10	CB92101AM02	2762	10
LED Phase indicator 1M - Full Glow	CB92401AW00	327	20	Same as White		
Curtain Control Switch 10A 2M	CB92502AW10	598	1 set	CB92502AM10	897	1 set
Electronic Ding-Dong Bell 2M	CB92402AW00	963	10	CB92402AM00	1203	10
Movement Sensor 1M	CB92701AW00	5911	6	CB92701AM00	7389	6

HOSPITALITY RANGE



CB92104HW10 CB92302HW00 CB92202HW20 CB92302HW32 CB92403HW20

CB92502HW10 CB92602HW10 CB92702HW00 CB92801HW00 CB92902HW00

New

Description	Snow White			Mountain Grey		
	Cat No	MRP in ₹	Std Pack	Cat No	MRP in ₹	Std Pack
Shaver socket 4M	CB92104HW10	4982	1	CB92104HM10	6226	1
Mech key tag switch 20A 2M	CB92202HW20	997	5	CB92202HM20	1247	5
Spare Key for Mech KeyTag	CB92302HW00	98	10	CB92302HG00	109	10
Mech key tag switch 32A 2M	CB92302HW32	1129	5	CB92302HM32	1412	5
Electronic key tag 20A 3M	CB92403HW20	4451	2	CB92403HM20	5563	2
DND-MMR inside room unit 2M	CB92502HW10	1029	10	CB92502HM10	1287	10
DND-MMR outside room unit 2M	CB92602HW10	731	10	CB92602HM10	913	10
Volume controller 2M	CB92702HW00	1129	10	CB92702HM00	1412	10
Bell Indicator with Reset 1M	CB92801HW00	1189	6	CB92801HM00	1485	6
Call Bell Station with Indicator 2M	CB92902HW00	1661	10	CB92902HM00	2076	10

- USB charger conforms to IS 13252(Part1)
- Electronic ding-dong bell is suitable for small rooms/cabins etc.
- Movement Sensor is for indoor applications only.
- Shaver socket is mono block design and supplied with 4 module cover plate.
- Mechanical & electronic key tags are modular type.



MINI MCBs WITH LED INDICATOR



CB92101KW06
CB92101KW10
CB92101KW16
CB92101KW20
CB92101KW25
CB92101KW32



CB92202KW06
CB92202KW10
CB92202KW16
CB92202KW20
CB92202KW25
CB92202KW32



CB92101KM06
CB92101KM10
CB92101KM16
CB92101KM20
CB92101KM25
CB92101KM32



CB92202KM06
CB92202KM10
CB92202KM16
CB92202KM20
CB92202KM25
CB92202KM32



Description	Std Pack	Snow White		Mountain Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3 kA - 1M	1/10	CB92101KW06	538	CB92101KM06	627
10A SP Mini MCB 3 kA - 1M	1/10	CB92101KW10	538	CB92101KM10	627
16A SP Mini MCB 3 kA - 1M	1/10	CB92101KW16	538	CB92101KM16	627
20A SP Mini MCB 3 kA - 1M	1/10	CB92101KW20	538	CB92101KM20	627
25A SP Mini MCB 3 kA - 1M	1/10	CB92101KW25	538	CB92101KM25	627
32A SP Mini MCB 3 kA - 1M	1/10	CB92101KW32	538	CB92101KM32	627
6A DP Mini MCB 3 kA - 2M	1/5	CB92202KW06	1082	CB92202KM06	1252
10A DP Mini MCB 3 kA - 2M	1/5	CB92202KW10	1082	CB92202KM10	1252
16A DP Mini MCB 3 kA - 2M	1/5	CB92202KW16	1082	CB92202KM16	1252
20A DP Mini MCB 3 kA - 2M	1/5	CB92202KW20	1082	CB92202KM20	1252
25A DP Mini MCB 3 kA - 2M	1/5	CB92202KW25	1082	CB92202KM25	1252
32A DP Mini MCB 3 kA - 2M	1/5	CB92202KW32	1082	CB92202KM32	1252

FEATURES

- Mini MCBs with LED indicator
- Range available in Single & Double pole
- Ratings – 6A, 10A, 16A, 20A, 25A & 32A with C Curve
- Conforms to IS/IEC 60898 – part 1
- Breaking capacity – 3 kA
- Trip free mechanism
- No Line load biased
- Suitable for use as isolator
- Available in Snow White & Mountain Grey colors
- IP20 protection
- RoHS Compliant





WOOD PLATES WITHOUT GRID FRAMES



Mocha Wood



Beige Wood



Oak Wood

Description	Std Pack	Mocha Wood		Beige Wood		Oak Wood	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FM04	1631	CB92101FB04	1631	CB92101FW04	1631
2 Module Cover Plate	1/10	CB92102FM04	1806	CB92102FB04	1806	CB92102FW04	1806
3 Module Cover Plate	1/10	CB92103FM04	2144	CB92103FB04	2144	CB92103FW04	2144
4 Module Cover Plate	1/10	CB92104FM04	2305	CB92104FB04	2305	CB92104FW04	2305
6 Module Cover Plate	1/10	CB92106FM04	2453	CB92106FB04	2453	CB92106FW04	2453
8 Module Cover Plate Horizontal	1/10	CB92108FM04	2678	CB92108FB04	2678	CB92108FW04	2678
8 Module Cover Plate Square	1/5	CB92208FM04	3029	CB92208FB04	3029	CB92208FW04	3029
12 Module Cover Plate	1/5	CB92112FM04	4529	CB92112FB04	4529	CB92112FW04	4529
New 16 Module Cover Plate	1/4	CB92116FM04	5118	CB92116FB04	5118	CB92116FW04	5118
New 18 Module Cover Plate	1/5	CB92118FM04	5578	CB92118FB04	5578	CB92118FW04	5578

METAL (ALUMINIUM) PLATES WITHOUT GRID FRAMES



Shadow Black



Metallic Gold



Brush Silver

Description	Std Pack	Shadow Black		Metallic Gold		Brush Silver	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FB03	1872	CB92101FG03	1872	CB92101FS03	1872
2 Module Cover Plate	1/10	CB92102FB03	2047	CB92102FG03	2047	CB92102FS03	2047
3 Module Cover Plate	1/10	CB92103FB03	2409	CB92103FG03	2409	CB92103FS03	2409
4 Module Cover Plate	1/10	CB92104FB03	2686	CB92104FG03	2686	CB92104FS03	2686
6 Module Cover Plate	1/10	CB92106FB03	3308	CB92106FG03	3308	CB92106FS03	3308
8 Module Cover Plate Horizontal	1/10	CB92108FB03	3938	CB92108FG03	3938	CB92108FS03	3938
8 Module Cover Plate Square	1/5	CB92208FB03	4463	CB92208FG03	4463	CB92208FS03	4463
12 Module Cover Plate	1/5	CB92112FB03	6702	CB92112FG03	6702	CB92112FS03	6702
New 16 Module Cover Plate	1/4	CB92116FB03	8568	CB92116FG03	8568	CB92116FS03	8568
New 18 Module Cover Plate	1/5	CB92118FB03	10983	CB92118FG03	10983	CB92118FS03	10983

All wooden, glass and metal plates are supplied without grid frames. Customers need to order the grid plates separately.



GLASS PLATES WITHOUT GRID FRAMES



Icy White



Champagne Gold



Silky Silver

Description	Std Pack	Icy White		Champagne Gold		Silky Silver	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FW02	1213	CB92101FC02	1213	CB92101FS02	1213
2 Module Cover Plate	1/10	CB92102FW02	1374	CB92102FC02	1374	CB92102FS02	1374
3 Module Cover Plate	1/10	CB92103FW02	1478	CB92103FC02	1478	CB92103FS02	1478
4 Module Cover Plate	1/10	CB92104FW02	1915	CB92104FC02	1915	CB92104FS02	1915
6 Module Cover Plate	1/10	CB92106FW02	2250	CB92106FC02	2250	CB92106FS02	2250
8 Module Cover Plate Horizontal	1/10	CB92108FW02	2550	CB92108FC02	2550	CB92108FS02	2550
8 Module Cover Plate Square	1/5	CB92208FW02	2550	CB92208FC02	2550	CB92208FS02	2550
12 Module Cover Plate	1/5	CB92112FW02	3968	CB92112FC02	3968	CB92112FS02	3968
New 16 Module Cover Plate	1/4	CB92116FW02	4083	CB92116FC02	4083	CB92116FS02	4083
New 18 Module Cover Plate	1/5	CB92118FW02	4428	CB92118FC02	4428	CB92118FS02	4428

GLASS PLATES WITHOUT GRID FRAMES



Midnight Black



Oceanic Green



Matte Mirror

Description	Std Pack	Midnight Black		New Oceanic Green		New Matte Mirror	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FB02	1213	CB92101FG02	1213	CB92101FM02	1213
2 Module Cover Plate	1/10	CB92102FB02	1374	CB92102FG02	1374	CB92102FM02	1374
3 Module Cover Plate	1/10	CB92103FB02	1478	CB92103FG02	1478	CB92103FM02	1478
4 Module Cover Plate	1/10	CB92104FB02	1915	CB92104FG02	1915	CB92104FM02	1915
6 Module Cover Plate	1/10	CB92106FB02	2250	CB92106FG02	2250	CB92106FM02	2250
8 Module Cover Plate Horizontal	1/10	CB92108FB02	2550	CB92108FG02	2550	CB92108FM02	2550
8 Module Cover Plate Square	1/5	CB92208FB02	2550	CB92208FG02	2550	CB92208FM02	2550
12 Module Cover Plate	1/5	CB92112FB02	3968	CB92112FG02	3968	CB92112FM02	3968
New 16 Module Cover Plate	1/4	CB92116FB02	4083	CB92116FG02	4083	CB92116FM02	4083
New 18 Module Cover Plate	1/5	CB92118FB02	4428	CB92118FG02	4428	CB92118FM02	4428

All wooden, glass and metal plates are supplied without grid frames. Customers need to order the grid plates separately.



COVER PLATES WITH GRID FRAMES



Snow White



Mountain Grey



Champagne Gold




Moonlight Silver

Description	Std Pack	Snow White		Mountain Grey		Champagne Gold		Moonlight Silver	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	10	CB92101FW00	187	CB92101FM01	282	CB92101FC01	282	CB92101FS01	282
2 Module Cover Plate	10	CB92102FW00	187	CB92102FM01	282	CB92102FC01	282	CB92102FS01	282
3 Module Cover Plate	10	CB92103FW00	217	CB92103FM01	327	CB92103FC01	327	CB92103FS01	327
4 Module Cover Plate	10	CB92104FW00	250	CB92104FM01	375	CB92104FC01	375	CB92104FS01	375
6 Module Cover Plate	5	CB92106FW00	388	CB92106FM01	581	CB92106FC01	581	CB92106FS01	581
8 Module Cover Plate Horizontal	4	CB92108FW00	459	CB92108FM01	690	CB92108FC01	690	CB92108FS01	690
8 Module Cover Plate Square	5	CB92208FW00	459	CB92208FM01	690	CB92208FC01	690	CB92208FS01	690
12 Module Cover Plate	5	CB92112FW00	619	CB92112FM01	929	CB92112FC01	929	CB92112FS01	929
16 Module Cover Plate	4	CB92116FW00	769	CB92116FM01	1104	CB92116FC01	1104	CB92116FS01	1104
18 Module Cover Plate	5	CB92118FW00	867	CB92118FM01	1244	CB92118FC01	1244	CB92118FS01	1244

All white and colour plates are supplied with grid frames.


GRID FRAMES FOR ALL MATERIAL PLATES (GLASS, METAL, WOOD)



CB92102GB00




CB92103GB00



CB92106GB00



CB92108GB00



CB92112GB00

Description	Std Pack	Cat No	MRP in ₹
1/2 Module Grid Frame	10	CB92102GB00	69
3 Module Grid Frame	10	CB92103GB00	87
4 Module Grid Frame	10	CB92104GB00	104
6 Module Grid Frame	5	CB92106GB00	162
8 Module Grid Frame Horizontal	4	CB92108GB00	191
8 Module Grid Frame Square	5	CB92208GB00	191
12 Module Grid Frame	5	CB92112GB00	262
New 16 Module Grid Frame	4	CB92116GB00	338
New 18 Module Grid Frame	5	CB92118GB00	377

For Metal Boxes refer pg. no. 35

A young girl with long dark hair, wearing a white tank top and red shorts, stands barefoot in front of a white wall. She has paint splatters on her face and arms, and her arms are raised in a joyful gesture. The wall behind her is covered in a dense pattern of colorful paint splatters in shades of purple, yellow, red, and blue. The overall mood is vibrant and celebratory.

entice

EVERY SHADE OF YOU

entice and its vibrant palette is made for every shade of you. Every colour is a character, a trait we saw in you. When it adorns your walls it doesn't make a style statement, it makes your statement. So go ahead, find a shade that reflects you.

THE SHADE OF SUCCESS

360-degree /
full rotation of
fan regulator.

Modular
USB
charger.

Complete
connection
solution for
TV, computers,
projectors etc.

Modular MCB
with LED
Indicators.

ISI & CE
certified

Strong,
durable
build.

Safety
shutters.

Sleek,
ribless
design.

Vertical &
horizontal
mounting
plates.

Tested for over
3 Lakh clicks.

HDMI, VGA,
USB & RCA
communication
connectors.

High
gloss
mirror
finish.

SWITCHES, BELL PUSH & MOTOR STARTER



CB91101SW10 CB91301SW10 CB91201SW10 CB91402SW20
 CB91101SW16 CB91301SW16 CB91201SW16 CB91402SW32
 CB91101SW20 CB91301SW20 CB91201SW20
 CB91101SW25 CB91301SW25



CB91101BW10 CB91301BW10 CB91102MW20
 CB91102MW25



CB91101SG10 CB91301SG10 CB91201SG10 CB91402SG20
 CB91101SG16 CB91301SG16 CB91201SG16 CB91402SG32
 CB91101SG25 CB91301SG25



CB91101BG10 CB91301BG10 CB91102MG20
 CB91102MG25

- 3 Lakh switching operation.
- Spark Shield, Captive screws & Tunnel Terminals.
- All Switches and bell push are ISI marked and conforms to IS 3854: 1997
- "AX" rating for switches are suitable to fluorescent lights also.

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 10AX 1-Way 1M	20	CB91101SW10	113	CB91101SG10	143
Switch 10AX 1-Way with Indicator 1M	20	CB91301SW10	212	CB91301SG10	296
Switch 10AX 2-Way 1M	20	CB91201SW10	201	CB91201SG10	281
Switch 16AX 1-Way 1M	20	CB91101SW16	237	CB91101SG16	329
Switch 16AX 1-Way with Indicator 1M	20	CB91301SW16	283	CB91301SG16	399
Switch 16AX 2-Way 1M	20	CB91201SW16	296	CB91201SG16	399
Switch 20A 1-Way 1M	20	CB91101SW20	307	NA	NA
Switch 20A 1-Way with Indicator 1M	20	CB91301SW20	370	NA	NA
Switch 20A 2-Way 1M	20	CB91201SW20	370	NA	NA
New Switch 25A 1-Way 1M	20	CB91101SW25	328	CB91101SG25	374
New Switch 25A 1-Way with Indicator 1M	20	CB91301SW25	397	CB91301SG25	431
Switch 20A DP with Indicator 2M	10	CB91402SW20	478	CB91402SG20	639
Switch 32A DP with Indicator 2M	10	CB91402SW32	548	CB91402SG32	766
Bell Push 10A 1M	10	CB91101BW10	220	CB91101BG10	294
Bell Push 10A with Indicator 1M	10	CB91301BW10	253	CB91301BG10	339
Bell Push 10A with Indicator 2M	10	CB91302BW10	327	CB91302BG10	437
Motor Starter 20A 2M	10	CB91102MW20	997	CB91102MG20	1332
Motor Starter 25A 2M	10	CB91102MW25	1017	CB91102MG25	1360

SOCKETS



CB91602CW06

CB91202CW06

CB91302CW16
CB91302CW25

CB91302CW06



CB91101CG06

CB91202CG06

CB91302CG16
CB91302CG25

CB91402CG13

- 6A 3 Pin, 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Socket 6A 2-Pin Euro Type 1M	20	CB91101CW06	165	CB91101CG06	235
Socket 6A 3-Pin with ISI 2M	10	CB91602CW06	169	CB91602CG06	241
Socket 6A 5-Pin 2M	10	CB91302CW06	178	CB91302CG06	251
Socket 6A 2/3-Pin 2M (Heavy Duty)	10	CB91202CW06	186	CB91202CG06	260
Socket 6A/16A Combined with ISI 2M	10	CB91302CW16	342	CB91302CG16	481
Socket 10A/25A Combined 2M	10	CB91302CW25	375	CB91302CG25	503
Universal Socket 13A 2M	10	CB91402CW13	336	CB91402CG13	450

REGULATORS & DIMMERS



CB91101DW04

CB91102DW10

CB91101RW01

CB91102RW02

- 5 step fan regulator conforms to IS 11037: 1984
- All fan regulators are with 360 degree rotation.
- Dimmers only support incandescent and halogen load.

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Dimmer 400W 1M	10	CB91101DW04	718	CB91101DG04	1003
Dimmer 1000W 2M	05	CB91102DW10	1152	CB91102DG10	1610
Fan Regulator 4 - Step 80W 1M	10	CB91101RW01	560	CB91101RG01	803
Fan Regulator 5 - Step 120W 2M with ISI	05	CB91102RW02	774	CB91102RG02	1109

DATA SOCKETS



Description	Standard Pack		White		Charcoal Grey	
	White	Grey	Cat No	MRP in ₹	Cat No	MRP in ₹
RJ 11 Socket with Shutter 1M	20	15	CB91101TW11	210	CB91101TG11	305
Twin RJ 11 Socket with Shutter 1M	20	15	CB91201TW11	288	CB91201TG11	415
RJ 45 Cat 5e Socket with Shutter 1M	20	15	CB91101TW45	673	CB91101TG45	971
RJ 45 Cat 6 Socket with Shutter 1M	20	15	CB91201TW45	750	CB91201TG45	1079
TV Socket 1M	20	15	CB91101TW00	206	CB91101TG00	294
RCA Connector 1M	20	15	CB91201TW00	2500	CB91201TG00	3440
HDMI Connector 1M	20	15	CB91301TW00	2045	CB91301TG00	2813
USB Connector 1M	20	15	CB91401TW00	1742	CB91401TG00	2398
VGA Connector 1M	20	15	CB91501TW00	1894	CB91501TG00	2606

FEATURES

- Mini MCBs with LED indicator
- Range available in Single & Double pole
- Ratings – 6A, 10A, 16A, 20A, 25A & 32A with C Curve
- Conforms to IS/IEC 60898 – part 1
- Breaking capacity – 3 kA
- Trip free mechanism
- No Line load biased
- Suitable for use as isolator
- Available in White & Charcoal Grey colors
- IP20 protection
- RoHS Compliant



MINI MCB WITH LED INDICATOR

Description	StdPack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3 ka 1M	10	CB91101KW06	474	CB91101KG06	589
10A SP Mini MCB 3 ka 1M	10	CB91101KW10	474	CB91101KG10	589
16A SP Mini MCB 3 ka 1M	10	CB91101KW16	474	CB91101KG16	589
20A SP Mini MCB 3 ka 1M	10	CB91101KW20	474	CB91101KG20	589
25A SP Mini MCB 3 ka 1M	10	CB91101KW25	474	CB91101KG25	589
32A SP Mini MCB 3 ka 1M	10	CB91101KW32	474	CB91101KG32	589
6A DP Mini MCB 3 ka 2M	05	CB91202KW06	942	CB91202KG06	1164
10A DP Mini MCB 3 ka 2M	05	CB91202KW10	942	CB91202KG10	1164
16A DP Mini MCB 3 ka 2M	05	CB91202KW16	942	CB91202KG16	1164
20A DP Mini MCB 3 ka 2M	05	CB91202KW20	942	CB91202KG20	1164
25A DP Mini MCB 3 ka 2M	05	CB91202KW25	942	CB91202KG25	1164
32A DP Mini MCB 3 ka 2M	05	CB91202KW32	942	CB91202KG32	1164

ACCESSORIES



- USB charger conforms to IS 13252(Part1),
- Electronic ding-dong bell is suitable for small rooms/cabins etc.

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Buzzer 2M	5	CB91102AW00	492	CB91102AG00	708
Cable Outlet 1M	White 20 Grey 15	CB91101AW00	167	CB91101AG00	240
Blank off unit 1M	20	CB91201AW00	44	CB91201AG00	63
Foot Light 2M	5	CB91102LW00	992	CB91102LG00	1427
USB Charger 2A 1M	10	CB91101AW02	1639	CB91101AG02	2449
LED Phase Indicator- Full Glow 1M	20	CB91401AW00	258	Same as White	
Electronic Ding Dong Bell 2M	10	CB91402AW00	873	CB91402AG00	1157

HOSPITALITY RANGE



Mechanical Key Tag are modular type and supplied without any plates.

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Mech Key Tag 20A 2M	05	CB91202HW20	753	CB91202HG20	992
Mech Key Tag 32A 2M	05	CB91302HW32	854	CB91302HG32	1125
New Spare Key for Mech Key Tag	10	CB91302HW00	81	CB91302HG00	92
DND MMR inside room unit 2M	10	CB91502HW10	589	CB91502HG10	860
DND MMR outside room unit 2M	10	CB91602HW10	627	Same as White	
Bell indicator with Reset 1M	10	CB91801HW00	1075	CB91801HG00	1421
Volume Controller 2M	10	CB91702HW00	1044	CB91702HG00	1316

WHITES



The serenity of the white classics are perfect for those who seek understated elegance.



VIVID



Gold Rush



Eco Grey

Handpicked artistic colours that will shine through, as a display of your fine taste.



Charcoal Grey



Ice Silver



Bottle Green



Black Beauty

VIBRANT



Firestorm Orange

Rare & full of life, the vibrant series is full of bright colours, crafted for those who prefer the exotic.



Pearl White



Metallic Grey



Rustic Gold



Rose Gold

WOODEN



Caramel Wood

Rustic & earthy, these wooden tones really bring out the aesthetics of your home.




Dark Chocolate Wood



Cinnamon Wood


COVER PLATE WITH GRID FRAMES - WHITE



Description	Std Pack	Cat No	MRP in ₹
1M Grid Frame + 1M Cover Plate	15	CB91101FW00	139
2M Grid Frame + 2M Cover Plate	15	CB91102FW00	139
3M Grid Frame + 3M Cover Plate	10	CB91103FW00	181
4M Grid Frame + 4M Cover Plate	10	CB91104FW00	207
6M Grid Frame + 6M Cover Plate	05	CB91106FW00	278
8M Grid Frame + 8M Cover Plate Horizontal	05	CB91108FW00	330
8M Grid Frame + 8M Cover Plate Square	05	CB91208FW00	330
8M Grid Frame + 8M Cover Plate-Small Size (Suitable for ORIS 10M Boxes)	05	CB91308FW00	391
12M Grid Frame + 12M Cover Plate	05	CB91112FW00	445
16M Grid Frame + 16M Cover Plate	05	CB91116FW00	553
18M Grid Frame + 18M Cover Plate	05	CB91118FW00	584

- 8M Horizontal Small size, is suitable for 10M ORIS Box.
- All White cover plates supplied with grid frames.
- 16M Cover plate is also suitable for 12M GI metal box.

COVER PLATES WITHOUT GRID FRAMES - VIVID SHADES



Description	Std Pack	Charcoal Grey	Eco Grey	Gold Rush	Ice Silver	Black Beauty	Bottle Green	MRP in ₹
		Cat No	Cat No	Cat No	Cat No	Cat No	Cat No	
1 Module Cover Plate	15	CB91101FG11	CB91101FE11	CB91101FU11	CB91101FI11	CB91101FB11	CB91101FD11	182
2 Module Cover Plate	15	CB91102FG11	CB91102FE11	CB91102FU11	CB91102FI11	CB91102FB11	CB91102FD11	182
3 Module Cover Plate	10	CB91103FG11	CB91103FE11	CB91103FU11	CB91103FI11	CB91103FB11	CB91103FD11	243
4 Module Cover Plate	10	CB91104FG11	CB91104FE11	CB91104FU11	CB91104FI11	CB91104FB11	CB91104FD11	269
6 Module Cover Plate	05	CB91106FG11	CB91106FE11	CB91106FU11	CB91106FI11	CB91106FB11	CB91106FD11	347
8 Module Cover Plate - Horizontal	05	CB91108FG11	CB91108FE11	CB91108FU11	CB91108FI11	CB91108FB11	CB91108FD11	407
8 Module Cover Plate - Square	05	CB91208FG11	CB91208FE11	CB91208FU11	CB91208FI11	CB91208FB11	CB91208FD11	407
8 Module Cover Plate - Horizontal Small Size (Suitable for ORIS 10M Box)	05	CB91308FG11	CB91308FE11	CB91308FU11	CB91308FI11	CB91308FB11	CB91308FD11	481
12 Module Cover Plate	05	CB91112FG11	CB91112FE11	CB91112FU11	CB91112FI11	CB91112FB11	CB91112FD11	550
16 Module Cover Plate	05	CB91116FG11	CB91116FE11	CB91116FU11	CB91116FI11	CB91116FB11	CB91116FD11	746
18 Module Cover Plate	05	CB91118FG11	CB91118FE11	CB91118FU11	CB91118FI11	CB91118FB11	CB91118FD11	828

- All color plates supplied without grid frames.
- Customer need to select Grid Frames Separately.
- All colour product pictures are for visualization purpose only, actual product colour may vary.
- Automotive Grade 2K PU Paint Technology for Durability.
- 16M Cover plate is also suitable for 12M GI metal box.

COVER PLATES WITHOUT GRID FRAMES - VIBRANT SHADES



Rustic Gold

Metallic Grey

Rose Gold



Pearl White

Firestorm Orange

- All color plates supplied without grid frames.
- Customer need to select Grid Frames Separately.
- All colour product pictures are for visualization purpose only, actual product colour may vary.
- Automotive Grade 2K PU Paint Technology for Durability.
- 16M Cover plate is also suitable for 12M GI metal box.

Description	Std Pack	Rustic Gold	Metallic Grey	Pearl White	Firestorm Orange	Rose Gold	MRP in ₹
		Cat No	Cat No	Cat No	Cat No	Cat No	
1 Module Cover Plate	15	CB91101FR11	CB91101FM11	CB91101FP11	CB91101FS11	CB91101FL11	307
2 Module Cover Plate	15	CB91102FR11	CB91102FM11	CB91102FP11	CB91102FS11	CB91102FL11	307
3 Module Cover Plate	10	CB91103FR11	CB91103FM11	CB91103FP11	CB91103FS11	CB91103FL11	384
4 Module Cover Plate	10	CB91104FR11	CB91104FM11	CB91104FP11	CB91104FS11	CB91104FL11	405
6 Module Cover Plate	05	CB91106FR11	CB91106FM11	CB91106FP11	CB91106FS11	CB91106FL11	466
8 Module Cover Plate - Horizontal	05	CB91108FR11	CB91108FM11	CB91108FP11	CB91108FS11	CB91108FL11	610
8 Module Cover Plate - Square	05	CB91208FR11	CB91208FM11	CB91208FP11	CB91208FS11	CB91208FL11	610
8 Module Cover Plate - Horizontal Small Size (Suitable for ORIS 10M Box)	05	CB91308FR11	CB91308FM11	CB91308FP11	CB91308FS11	CB91308FL11	684
12 Module Cover Plate	05	CB91112FR11	CB91112FM11	CB91112FP11	CB91112FS11	CB91112FL11	814
16 Module Cover Plate	05	CB91116FR11	CB91116FM11	CB91116FP11	CB91116FS11	CB91116FL11	896
18 Module Plate	05	CB91118FR11	CB91118FM11	CB91118FP11	CB91118FS11	CB91118FL11	1113

COVER PLATES WITHOUT GRID FRAMES - WOODEN FINISHES



Caramel Wood


Dark Chocolate Wood

Cinnamon Wood


- All color plates supplied without grid frames.
- Customer need to select Grid Frames Separately.
- All colour product pictures are for visualization purpose only, actual product colour may vary.
- Cubic Printing Technology used for wooden finishes.
- 16M Cover plate is also suitable for 12M GI metal box.

Description	Std Pack	Caramel Wood	Dark Chocolate Wood	Cinnamon Wood	MRP in ₹
		Cat No	Cat No	Cat No	
1 Module Cover Plate	15	CB91101FP12	CB91101FL12	CB91101FA12	313
2 Module Cover Plate	15	CB91102FP12	CB91102FL12	CB91102FA12	313
3 Module Cover Plate	10	CB91103FP12	CB91103FL12	CB91103FA12	375
4 Module Cover Plate	10	CB91104FP12	CB91104FL12	CB91104FA12	447
6 Module Cover Plate	05	CB91106FP12	CB91106FL12	CB91106FA12	606
8 Module Cover Plate - Horizontal	05	CB91108FP12	CB91108FL12	CB91108FA12	733
8 Module Cover Plate - Square	05	CB91208FP12	CB91208FL12	CB91208FA12	733
8 Module Cover Plate - Horizontal Small Size (Suitable for ORIS 10M Box)	05	CB91308FP12	CB91308FL12	CB91308FA12	820
12 Module Cover Plate	05	CB91112FP12	CB91112FL12	CB91112FA12	1040
16 Module Cover Plate	05	CB91116FP12	CB91116FL12	CB91116FA12	1311
18 Module Cover Plate	05	CB91118FP12	CB91118FL12	CB91118FA12	1641

GRID FRAMES (FOR VIVID, VIBRANT & WOOD COVER PLATES)



- Grid frames suitable for all colour plates and wooden finish plates.
- Ease for retailers to maintain stocks.



Description	Std Pack	Cat No	MRP in ₹
1/2M Grid Frame	15	CB91102GB00	52
3M Grid Frame	10	CB91103GB00	60
4M Grid Frame	10	CB91104GB00	77
6M Grid Frame	05	CB91106GB00	121
8M Grid Frame Horizontal	05	CB91108GB00	144
8M Grid Frame Square	05	CB91208GB00	144
8M Grid Frame Small Size (Suitable for ORIS 10M Box)	05	CB91308GB00	209
12M Grid Frame	05	CB91112GB00	196
16M Grid Frame	04	CB91116GB00	328
18M Grid Frame	05	CB91118GB00	338

GI METAL MOUNTING BOXES

Description	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1 & 2M	60	CB91102WM00	99
GI Metal Box - 3M	45	CB91103WM00	137
GI Metal Box - 4M	30	CB91104WM00	150
GI Metal Box - 6M	20	CB91106WM00	215
GI Metal Box - 8M Horizontal	15	CB91108WM00	274
GI Metal Box - 8M Square	24	CB91208WM00	274
GI Metal Box - 12M	16	CB91112WM00	403
GI Metal Box - 18M	10	CB91118WM00	494

- Suitable for entice, englaze and enGem ranges.
- GI Boxes Conforms to IS14772: 2000





Switch aisa ki
sab kahe
waah
waah



2 AMP USB CHARGING WITH LED INDICATOR

The enGem range allows your customers to fast-charge devices with the power of 2 Amp. That's not all. The range also comes with a Direct USB Charger that has a LED light indicator, The more impressed your customers, the more compliments you'll get.



PREMIUM FLAT DESIGN

Impress your customers with the enGem range of premium flat-design plates. They come with superior plastic quality and wide cover plates that make them durable and easier to install.



HASSLE-FREE PLUGGING

When you choose enGem, your customers can be rest assured about the safety of their children due to it's in-built safety shutter in sockets. More safety is sure to earn you more compliments.



360° ROTATION FOR BREAK-FREE OPERATIONS

When you recommend enGem switches, your customers get to enjoy the comfort of a fan without the hassle of a breakage-prone regulator. The 360° rotation regulator knob is built and designed for break-free operations.



CAPTIVE SCREWS AND FRONT REMOVAL SYSTEM

enGem switches reduce the time taken for every switch installation, thereby helping you finish the job quicker. These switches come with captive screws and front removal switches to make the installation process quicker and easier for you. But faster installations for you also mean lesser wait time for your customers. So, faster you finish the job, the more compliments you are bound to get.



1 LAKH + CLICKS & 10,000 TIMES SOCKET UNPLUGGING

Your customers will only compliment you when the switch you install lasts really long. enGem switches offer more than 1 Lakh clicks, which has also been certified by NABL*. What's more, you can plug sockets in and out over 10,000 times.





CB93101SW06 CB93301SW06 CB93201SW06 CB93101BW06 CB93402SW32
 CB93101SW16 CB93301SW16 CB93201SW16

- 1 Lakh switching operation.
- Spark Shield, Captive screws & Tunnel Terminals.
- All Switches and bell pushes are ISI marked and conforms to IS 3854: 1997
- "AX" rating for switches are suitable to fluorescent lights also.



CB93602CW06 CB93302CW16 CB93402CW13

- 6A 3 Pin, 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.



CB93101RW01 CB93102RW02

- 5 step fan regulator conforms to IS 11037: 1984
- All fan regulators are with 360 degree rotation.
- Dimmers only support incandescent and halogen load.

SWITCHES & BELL PUSH WITH ISI

Description	Std Pack	Cat No	MRP in ₹
Switch 1-way 6AX 1M	20	CB93101SW06	64
Switch 1-way 6AX with indicator 1M	20	CB93301SW06	147
Switch 2 way 6AX 1M	20	CB93201SW06	141
Switch 16AX 1-way 1M	20	CB93101SW16	144
Switch 16AX 1-way with indicator 1M	20	CB93301SW16	198
Switch 16AX 2 way 1M	20	CB93201SW16	207
New Switch 20A 1-way 1M	20	CB93101SW20	152
New Switch 20A 1-way with indicator 1M	20	CB93301SW20	207
Switch 32A DP with Indicator lamp 2M	10	CB93402SW32	351
Bell Push 6A 1M	20	CB93101BW06	154
Bell Push 6A with indicator 2M	10	CB93302BW06	228

POWER SOCKET WITH SAFETY SHUTTER

Description	Std Pack	Cat No	MRP in ₹
Socket 6A 2-Pin Euro 1M	20	CB93101CW06	105
Socket 6A 3-Pin Round with ISI 2M	10	CB93602CW06	110
Socket 6A/16A Combi Type with ISI 2M	10	CB93302CW16	186
Socket 10A/25A Combi Type 2M	10	CB93302CW25	262
Socket 13A Universal Type 2M	10	CB93402CW13	235

REGULATORS & DIMMERS

Description	Std Pack	Cat No	MRP in ₹
Dimmer 400 W 1M	10	CB93101DW04	532
Fan Regulator 4-Step 80W 1M	10	CB93101RW01	393
Fan Regulator 5-Step 120W 2M with ISI	05	CB93102RW02	507

DATA SOCKETS & ACCESSORIES



USB Charger conforms to IS 13252 (Part 1)

FEATURES

- Range available in Single & Double pole
- Ratings – 6A, 10A, 16A, 20A, 25A & 32A with C Curve
- Conforms to IS/IEC 60898 – part 1
- Breaking capacity – 3 kA
- Trip free mechanism
- No Line load biased
- Suitable for use as isolator
- IP20 protection
- RoHS Compliant




Description	Std Pack	Cat No	MRP in ₹
RJ11 - Telephone Socket With Shutter 1M	20	CB93101TW11	147
RJ 45 Cat 5e Socket with Shutter 1M	20	CB93101TW45	500
RJ 45 Cat 6 Socket with Shutter 1M	20	CB93201TW45	557
TV Socket 1M	20	CB93101TW00	144
Cable Outlet 1M	20	CB93101AW00	116
Blank Off Unit 1M	20	CB93201AW00	30
LED Foot Light 2M (GST @12%)	05	CB93102LW00	693
USB Charger 2A 1M	10	CB93101AW02	1208
LED Phase Indicator 1M	20	CB93301AW00	135

MINI MCB




Description	Std Pack	Cat No	MRP in ₹
6A SP Mini MCB 3 kA - 1M	1/10	CB93101KW06	394
10A SP Mini MCB 3 kA - 1M	1/10	CB93101KW10	394
16A SP Mini MCB 3 kA - 1M	1/10	CB93101KW16	394
20A SP Mini MCB 3 kA - 1M	1/10	CB93101KW20	394
25A SP Mini MCB 3 kA - 1M	1/10	CB93101KW25	394
32A SP Mini MCB 3 kA - 1M	1/10	CB93101KW32	394
6A DP Mini MCB 3 kA - 2M	1/5	CB93202KW06	880
10A DP Mini MCB 3 kA - 2M	1/5	CB93202KW10	880
16A DP Mini MCB 3 kA - 2M	1/5	CB93202KW16	880
20A DP Mini MCB 3 kA - 2M	1/5	CB93202KW20	880
25A DP Mini MCB 3 kA - 2M	1/5	CB93202KW25	880
32A DP Mini MCB 3 kA - 2M	1/5	CB93202KW32	880

COVER PLATE & GRID FRAME



Description	Std Pack	Cat No	MRP in ₹
1M Grid Frame + 1M Cover Plate	15	CB93101FW00	81
2M Grid Frame + 2M Cover Plate	15	CB93102FW00	81
3M Grid Frame + 3M Cover Plate	10	CB93103FW00	105
4M Grid Frame + 4M Cover Plate	10	CB93104FW00	124
6M Grid Frame + 6M Cover Plate	05	CB93106FW00	184
8M Grid Frame + 8M Cover Plate Horizontal	05	CB93108FW00	217
8M Grid Frame + 8M Cover Plate Square	05	CB93208FW00	217
12M Grid Frame + 12M Cover Plate	05	CB93112FW00	293
16M Grid Frame + 16M Cover Plate	04	CB93116FW00	434
18M Grid Frame + 18M Cover Plate	05	CB93118FW00	444



MOUNTING BOXES - GI METAL, FLUSH TYPE

Description	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1 & 2 Module	60	CB93102WM00	74
GI Metal Box - 3 Module	45	CB93103WM00	109
GI Metal Box - 4 Module	36	CB93104WM00	127
GI Metal Box - 6 Module	20	CB93106WM00	182
GI Metal Box - 8 Module Horizontal	15	CB93108WM00	233
GI Metal Box - 8 Module Square	24	CB93208WM00	233
GI Metal Box - 12 Module	16	CB93112WM00	311
GI Metal Box - 16 Module	10	CB93116WM00	370
GI Metal Box - 18 Module	10	CB93118WM00	421



MUSIC FOR YOUR WALLS

THE SIGNATURE DESIGN

- Ribless design - leaves only a hairline gap between switches
- Glossy finish surface enhance brightness in your life
- Stylish rounded contours - minimizes dust collection on surface, easy to clean

INTELLI-I

- Red LED used for power indication and Blue LED for locating switches in the dark
- Smart and long life LED used for indicator & locator switches

SPACE & MONEY SAVER

- Saves space by accommodating more modules in standard wall box of other makes
- Uses smaller wall boxes for the same number of switches hence saves money

SAFETY & QUALITY

- Safety shutters in all power and data sockets
- Finger touch proof IP20 terminals
- Marking on all switches, bell push, plug top & most of the sockets

LONGER LIFE

- Switches Tested for 1.5 lakhs switching operations
- FR grade polycarbonate material for high durability and fire retardant

SWITCHES & BELL PUSH WITH ISI MARKING



OS15W10 OS15W16 OS16W10 OS16W16 OS11W10 OS11W16 OS12W10 OS12W16 OS13W10 OS13W16



OS24W20
OS24W32



OS31W20
OS31W25



OD21W04



OR22W01

- 5 step fan regulator conforms to IS 11037: 1984
- Fan regulator are with 360 degree rotation.
- Dimmers only support incandescent and halogen load.

Description	Std Pack	Cat No	MRP in ₹
Switch 1-Way 10AX 1M	20	OS11W10	144
Switch 2-Way 10AX 1M	20	OS12W10	223
Switch 1-Way Indicator 10AX 1M	20	OS13W10	223
Switch 1-Way 16AX 1M	20	OS11W16	259
Switch 2-Way 16AX 1M	20	OS12W16	308
Switch 1-Way Indicator 16AX 1M	20	OS13W16	289
Switch 1-Way 10AX 1M - W Plain Knob	20	OS15W10	139
Switch 2-Way 10AX 1M - W Plain Knob	20	OS16W10	214
Switch 1-Way 16AX 1M - W Plain Knob	20	OS15W16	247
Switch 2-Way 16AX 1M - W Plain Knob	20	OS16W16	297
Switch DP Indicator 20A 2M	10	OS24W20	499
Switch DP Indicator 32A 2M	10	OS24W32	598
Switch Night Locater 10A 1M	20	OS14W10	243
Bell Push 6A 1M	20	OB11W06	239
Bell Push Indicator 6A 1M	20	OB13W06	267
Bell Push Indicator 10A 2M	10	OB23W10	327
Bell Push 6A 1M - W Plain Knob	20	OB15W06	230

MOTOR STARTER

Description	Std Pack	Cat No	MRP in ₹
Motor Starter 1 PH 20A 3M	20	OS31W20	1152
Motor Starter 1 PH 25A 3M	8	OS31W25	1175

FAN REGULATOR & DIMMER

Description	Std Pack	Cat No	MRP in ₹
Dimmer 400W 2M	5	OD21W04	812
Fan Regulator 5-Step 120W 2M with ISI	5	OR22W01	846

SOCKET



Description	Std Pack	Cat No	MRP in ₹
Socket 6A 2 Pin Euro 1M	20	OC11W06	190
Socket 6A 3 Pin with ISI 3M	10	OC36W06	223
Socket 6A 5 Pin Round Type 6A 3M	10	OC32W06	231
Socket 6A Uni 3 Pin 3M	10	OC31W06 *	218
Socket 16A 3 Pin with ISI 3M	10	OC31W16 *	359
Socket 6/16A Combi with ISI 3M	10	OC32W66	381
Socket 25A 3 Pin 3M	10	OC31W25	395
Socket 13A Universal Pin 3M	10	OC32W13	342

* Marked Cat Nos are available till stocks last.





DATA SOCKETS

Description	Std Pack	Cat No	MRP in ₹
RJ 11 Socket with Shutter 1M	20	OT11W11	225
RJ 45 Cat 6 Socket with Shutter 1M	20	OT11W45	715
TV Socket 1M	20	OT11W00	202

ACCESSORIES

Description	Std Pack	Cat No	MRP in ₹
LED Foot Light 6M (GST @12%)	5	OL61W06	995
Indicator Light 1M	20	OA11W00	194
Blank Off Unit 1M	20	OA10W00	40

COVER PLATES WITH GRID FRAMES



* Marked Cat Nos are available till stocks last.



Description	Std Pack	Cat No	MRP in ₹
Grid and Face Plate 1M	15	OF11W00	152
Grid and Face Plate 2M	15	OF21W00	152
Grid and Face Plate 3M	10	OF31W00	187
Grid and Face Plate 3M Mini	10	OF32W00	171
Grid and Face Plate 4M	10	OF41W00	193
Grid and Face Plate 6M	10	OF61W00	255
Grid and Face Plate 8M	10	OF81W00	305
Grid and Face Plate 10M 433	5	OF10W03	361
Grid and Face Plate 10M 433 Suitable for Entice 8M Box	5	OF10W04	368
Grid and Face Plate 12M	5	OF12W00	431
Grid and Face Plate 16M	5	OF16W00	475
Grid and Face Plate 24M	5	OF24W00	623

MOUNTING BOXES - GI METAL BOXES

Description	Std Pack	Cat No	MRP in ₹
GI Recess Wall Box 1/2M	24	OW21M00 *	125
GI Recess Wall Box 3/4M	16	OW41M00 *	154
GI Recess Wall Box 6M	16	OW61M00 *	184
GI Recess Wall Box 8M	16	OW81M00 *	263
GI Recess Wall Box 10M	16	OW10M00	330
GI Recess Wall Box 12M	12	OW12M00 *	412
GI Recess Wall Box 16M	10	OW16M00 *	436
GI Recess Wall Box 24M	6	OW24M00 *	605

MOUNTING BOXES - PLASTIC SURFACE BOXES

Description	Std Pack	Cat No	MRP in ₹
Surface Wall Box 1/2M	20	OW21W00	155
Surface Wall Box 3/4M	12	OW41W00	182
Surface Wall Box 6M	10	OW61W00	217
Surface Wall Box 8M	14	OW81W00	227
Surface Wall Box 10M	10	OW10W00	274
Surface Wall Box 12M	10	OW12W00	298
Surface Wall Box 16M	8	OW16W00	436

STANDALONE RANGE




OP02W06



OP01W06
OP01W16
OP01W25



OP03W06
OP03W16



Lamp Holder

2in1

Angle Holder

OA03W01

Batten Holder



OA03W02




OA03W03



OA20W00

With USB Charger



OA05W06



OA04W13



CB93400AB06
CB93300AB06



DIGITAL DING-DONG
7 Ding Dong Tunes
OB31W00



MANTRAS
10 Mantra Tunes
OB32W00



ENGLISH MELODY
25 English Tunes
OB33W00

PLUG TOP

Description	Std Pack	Cat No	MRP in ₹
2 Pin Plug Top	20	OP02W06	49
6A Plug Top with ISI	10	OP01W06	84
6A Plug Top with indicator with ISI	10	OP03W06	102
16A Plug Top with ISI	10	OP01W16	129
16A Plug Top with indicator with ISI	10	OP03W16	144
25A Plug Top	10	OP01W25	142

LAMP HOLDER

Description	Std Pack	Cat No	MRP in ₹
Jumbo Lamp Holder (2 in 1)	24	OA03W01	98
Lamp Holder - Angular Type	30	OA03W02	58
Lamp Holder - Batten Type	40	OA03W03	55
Jumbo Ceiling Rose	40	OA20W00	60

SPIKE GUARDS

Description	Std Pack	Cat No	MRP in ₹
4-Way Spike Guard with Resettable Fuse	1	OA04W13	920
3-Way Spike Guard with Twin USB Charger and Resettable Fuse	1	OA05W06	1574
4-Way Spike Guard - 1.5 Mtr Cord	1	CB93300AB06	695
4-Way Spike Guard - 5 Mtr Cord	1	CB93400AB06	1050

DOOR BELLS

Description	Std Pack	Cat No	MRP in ₹
Digital Ding Dong Door Bell	1	OB31W00	389
Digital Mantra Door Bell	1	OB32W00	446
Digital English Door Bell	1	OB33W00	474

SURFACE MOUNTING BOXES

Suitable for entice, englaze and enGem range of plates



KEY FEATURES

- High Impact resistance structural design
- Double wall construction which helps for better air ventilation, more strength and perfect edges matching
- High Quality Brass Inserts for reliability
- Anti-Slip locking Inserts to prevent free rotation
- Unique - "One click knockouts" for easy & faster installation
- Suitable for entice, englaze and enGem ranges of plates
- Knockouts on top, bottom and rear side



PLASTIC SURFACE BOXES

Description	Std Pack	Cat No	MRP in ₹
1 / 2 Module	12	CB91102WP00	95
3 Module	10	CB91103WP00	125
4 Module	12	CB91104WP00	149
6 Module	5	CB91106WP00	195
8 Module Horizontal	5	CB91108WP00	245
8 Module Square	7	CB91208WP00	245
12 Module	5	CB91112WP00	325
16 Module	5	CB91116WP00	345
18 Module	5	CB91118WP00	375



WARRANTY POLICY

- **All products** carry warranty against manufacturing defects due to fault workmanship.
- **All switches**, sockets and accessories carry a warranty of 12 years from the date of manufacturing.
- **Products** with electronic circuits and LED i.e. electronic fan regulators, dimmers, foot light, buzzers, hotel range, USB chargers, bell indicators, sensors etc., carry a warranty of 2 years from the date of manufacturing.
- **All colour products** and material plates carry a warranty of 3 years from the date of manufacturing.
- **Warranty** does not apply to case of breakage/tampering with products.
- **The warranty** is subject to the provision of proper usage and proper maintenance and does not cover defects arising out of fire, accident, insufficient maintenance, faulty operations and wilful or accidental damage.
- **Company** shall not be liable for any consequential losses, injuries or damages attributes to defect or failure of it's products.
- **Trippler, Tripbox and Tripbox PLUS range**
all products listed in the price list carry a warranty against manufacturing defects for a period of 18* months from the date of purchase.

*Proof of purchase to be retained to avail warranty.

ELECTRICAL STANDARD PRODUCTS (ESP) OFFICES:

HEAD OFFICE

L&T Electrical & Automation
L&T Business Park, TC 2, Tower 'B'
3rd Floor, Gate No 5
Saki Vihar Road, Powai, **Mumbai 400 072**
Tel: 022-67052874 / 2737 / 1156
e-mail: cic@LNTEBG.com

BRANCH OFFICES

L&T Electrical & Automation
501, Sakar Complex I
Opp. Gandhigram Rly. Station
Ashram Road, **Ahmedabad 380 009**
Tel: 079 4900 4000 / 4010
e-mail: esp-ahm@LNTEBG.com

L&T Electrical & Automation
No 38, Cubbon Road, **Bengaluru 560 001**
Tel: 080-46136103 / 100
e-mail: esp-blr@LNTEBG.com

L&T Electrical & Automation
131 / 1, Zone II, Maharana Pratap Nagar
Bhopal 462 011
e-mail: esp-bho@LNTEBG.com

L&T Electrical & Automation
Plot No. 559, Annapurna Complex,
2nd Floor Lewis Road,
Bhubaneswar 751 014
Tel: 0674-2436690 / 9437453579 /
9437284376
e-mail: esp-bsr@LNTEBG.com

L&T Electrical & Automation
Aspire Towers, 4th Floor
Plot No. 55, Phase-I, Industrial &
Business Park, **Chandigarh 160 002**
Tel: 0172-4646840 / 41 / 42 / 44 / 53
e-mail: esp-chd@LNTEBG.COM

L&T Electrical & Automation
L&T Construction Campus
TC-1 Building, II Floor
Mount-Poonamallee Road
Manapakkam, **Chennai 600 089**
Tel: 044-2270 6800
e-mail: esp-maa1@LNTEBG.com

L&T Electrical & Automation
Building E3A, Manufacturing Facility
L&T Bypass Road, Malumichampatti
Coimbatore 641 050
Tel: 0422-6683031
e-mail: esp-cbe@LNTEBG.com

L&T Electrical & Automation
3rd Floor, 1&2 Vijay Park,
Main Chakrata Road, Ballupur Chowk
Dehradun 248001
Tel: +91 9582252411

L&T Electrical & Automation
Khairasol, Degaul Avenue
Durgapur 713 212
Tel: 0343-2540448 / 2540449 / 2540443
e-mail: esp-dgp@LNTEBG.com

L&T Electrical & Automation
5, Milanpur Road, Bamuni Maidan
Guwahati 781 021
Tel: +91 8876554417
e-mail: esp-ghy@LNTEBG.com

L&T Electrical & Automation
2nd Floor, Vasantha Chambers
5-10-173, Fateh Maidan Road
Hyderabad 500 004
Tel: 040-67015052
e-mail: esp-hyd@LNTEBG.com

L&T Electrical & Automation
Monarch Building, 1st Floor
D-236 & 237, Amrapali Marg
Vaishali Nagar, **Jaipur 302 021**
Tel: 0141-4385914 to 18
e-mail: esp-jai@LNTEBG.com

L&T Electrical & Automation
Akashdeep Plaza, 2nd Floor
P. O. Golmuri, **Jamshedpur 831 003**
Jharkhand
Tel: 0657-2340502 / 08
e-mail: esp-jam@LNTEBG.com

L&T Electrical & Automation
Skybright Bldg; M. G. Road
Ravipuram Junction, Ernakulam
Kochi 682 016
Tel: 0484-4409420 / 4 / 5 / 7
e-mail: esp-cok@LNTEBG.com

L&T Electrical & Automation
3-B, Shakespeare Sarani, **Kolkata 700 071**
Tel: 033-48006001
e-mail: esp-kol@LNTEBG.com

L&T Electrical & Automation
No. 10, Fortuna Tower, 2nd Floor
Rana Pratap Marg, Near NBR
Lucknow 226001
e-mail: esp-lko@LNTEBG.com

L&T Electrical & Automation
No: 73, Karpaga Nagar, 8th Street
K. Pudur, **Madurai 625007**
Tel: 0452-2567405 / 2561068 / 2561657
e-mail: esp-mdu@LNTEBG.com

L&T Electrical & Automation
L&T Business Park, TC 2, Tower 'B'
3rd Floor, Gate No. 5
Saki Vihar Road, Powai, **Mumbai 400 072**
Tel: 022-67052874 / 2737 / 1156
e-mail: esp-bom@LNTEBG.com

L&T Electrical & Automation
Unnati Building, 2nd Floor
Automation Campus
A-600, TTC Industrial Area
Shil-Mahape Road, Mahape
Navi Mumbai 400710
Tel: +91 22 67226502 / 67226300

L&T Electrical & Automation
12, Shivaji Nagar
North Ambajhari Road, **Nagpur 440 010**
Tel: 0712-2260012 / 6606421
e-mail: esp-nag@LNTEBG.com

L&T Electrical & Automation
A-25, Imperia Complex, First Floor,
Mohan Cooperative Industrial Estate,
Near Sarita Vihar Metro Station,
Mathura Road, **New Delhi 110 044**
Tel: 011-42260600
e-mail: esp-del@LNTEBG.com

L&T Electrical & Automation
Grand Chandra, 2nd Floor, Fraser Road
Opposite Doordarshan Kendra
Patna 800001
e-mail: esp-patna@LNTEBG.com

L&T Electrical & Automation
L&T House, P. O. Box 119, 191/1
Dhole Patil Road, **Pune 411 001**
Tel: 020-48544395 / 48544279
e-mail: esp.pnq@LNTEBG.com

L&T Electrical & Automation
Crystal Tower, 4th Floor
G. E. Road, Telibandha
Raipur 492 006
Tel: +91 9755508228
e-mail: esp-raipur@LNTEBG.com

L&T Electrical & Automation
3rd Floor, Vishwakarma Chambers
Majura Gate, Ring Road
Surat 395 002
Tel: 0261-2473726
e-mail: esp-sur@LNTEBG.com


L&T Electrical & Automation
Radhadaya Complex
Old Padra Road
Near Charotar Society
Vadodara 390 007
Tel: 0265-6613610 / 1 / 2
e-mail: esp-bar@LNTEBG.com

L&T Electrical & Automation
Door No. 49-38-14/3/2, 1st Floor,
NGGO's Colony, Akkayyapalem,
Visakhapatnam 530 016
Tel: 0891-2791126 / 2711125
e-mail: esp-viz@LNTEBG.com

Product improvement is a continuous process. For the latest information and special application, please contact any of our offices listed here.
Product photographs shown for representative purpose only.



 **L&T Electrical & Automation,**
Electrical Standard Products,
L&T Business Park, TC 2, Tower B, 3rd Floor,
Gate No. 5, Saki Vihar Road, Powai,
Mumbai - 400072, India

 **BSNL / MTNL (toll free) : 1800 233 5858**
Reliance (toll free) : 1800 200 5858
Tel : 022 6774 5858

 cic@Lntebg.com
 www.Lntebg.com

 **L&T Electrical & Automation**



<https://www.facebook.com/Intelectricalandautomation/>



@Int_switches



Scan the above QR code to discover us on social media