

OPPLE

LIGHTING



PRODUCT CATALOGUE



Price List w.e.f. January 2021

OPPLE.COM

PREFACE

Founded in 1996, OPPLE is a comprehensive lighting company integrating R & D, production, sales and service, with its business covering household and commercial LED products and integrated lighting solutions. Leveraging its strong sales and a complete domestic and overseas sales network, OPPLE's sales and services now offer in over 70 countries worldwide. OPPLE is one of China's leading integrated lighting solution providers.

OPPLE INTRODUCTION

OPPLE Lighting CO., Ltd. is a leading lighting brand in China, which is rapidly expanding in more than 70 countries worldwide with 6000 employees. It boasts the largest distribution network in China and over 41,000 sales terminals worldwide including over 6000 branded shops. OPPLE has a strong innovation focus with over 1000 patents, backed by its 2 large ISO certified manufacturing facilities and a R&D team of over 300 engineers.

Furthermore the Company has set up a professional laboratories with international standards, the Wujiang laboratory owns 10 professional branch testing labs, which has been awarded the ISO17025 national certification issued by CNAS/ILAC (International Laboratory Accreditation Cooperation), and also has been titled the TUV international accreditation laboratory, the accordingly provided data are all widely acceptable.

We are now not only holding the facility certificates such as SA 8000: Social Accountability, ISO9001: Quality management and ISO14000: Environment management etc., but also varied international product quality certificates: CB, CE, GS and special ones for different countries: RCM(SAA), BIS, SASO, TISI, SIRIM, SNI, MEA etc. With the local presence of experienced and skilled OPPLE staff you can now take full advantage of our innovative products.



R&D Center

OPPLE Lighting hold a professional R&D team with more than 300 members, over 80 members holding a master's degree or above, and a post-doctoral research station, also it possesses 10 Professional R&D Labs in Shanghai, Zhongshan, Suzhou and Europe. Most of them have MNC working experience and extensive research backgrounds and more than 50% hold Masters or Ph.D. degrees. The two R&D centers have been establishing strategic cooperation partnerships with many world-leading organizations like Huawei in technological fields such as LED, oneTLED, Zigbee wireless smart control systems and smart home technologies.



ETO Factory

The ETO (Engineering-To-Order) Factory is a professional engineering team and semi-autonomous metal plate flexible production line, with big investment from OPPLE. It's dedicated to meeting clients' varied customization demands. Whether you are a designer or not, the ETO

Lighting Design

The professional lighting design team is engaged in lighting design services for office buildings, large factories, furnished properties, high-end stores, hotels, shopping malls, and logistics centers. Their completed projects are all well appraised by both investors and industry insiders.



Customer Service

A full-on-site customer service is provided according to customer's requirements, including professional installation instructions and corresponding after-sales service.





LIGHT FOR
WELLNESS

THE WHEEL OF POSITIVE ENERGY KEEPS TURNING WITH A HEALTHY LIFESTYLE. EASY TO SAY, BUT SOMETIMES NOT SO EASY TO DO! OUR BUSY LIFESTYLES CAN BE HARD ON OUR HEALTH. THAT'S WHY IT'S SO IMPORTANT TO STOP, TAKE STOCK AND MAKE A CONSCIOUS DECISION TO FOLLOW A HEALTHY LIFESTYLE. COME, TAP THE PULSE OF POSITIVE ENERGY AND NAVIGATE TOWARDS A JOYFUL AND SUCCESSFUL LIFE WITH US.



FLICKER-FREE LIGHTS
HAPPY EYES

AT OPPLE, WE DON'T JUST BUILD BETTER LIGHTING, WE INVENT BETTER LIGHT CRAFTED WITH WORLD-CLASS TECHNOLOGY, EXCLUSIVELY FOR YOUR "WELLNESS". CHOOSE OPPLE LED LIGHTS TO BRIGHTEN UP YOUR WORLD.

**NO FLICKER!
NO FIKAR!**

MOST LED LIGHTS AVAILABLE IN THE MARKET TODAY PRODUCE A FLICKER WHICH CAN STRAIN YOUR EYES, CAUSE MIGRAINE AND INDUCE HEADACHE. PRESENTING OPPLE FLICKER-FREE LEDS, WHICH CARE FOR YOUR HEALTH BY MINIMIZING OR ELIMINATING THESE SYMPTOMS AND PROVIDING A HEALTHIER COLOUR SPECTRUM FOR YOUR EYES.

OPPLE LED YOUR WELLNESS MANTRA



**FLICKER
FREE**



**ENERGY
SAVING**



**ENVIRONMENT
FRIENDLY**



**LONG
LASTING**



**LOW HEAT
EMISSION**



**UV
FREE**



**ANTI
GLARE**



**MERCURY
FREE**



- 2017 Annual Responsibility Brand Award
- 2017 Annual Brand Award-Influential Brand
- 2017 Annual China Lighting Industry - Industry Brand Leader
- 2017 Annual Performance Listed Company - GGII
- Nationwide Lighting Industry Quality Leading Brand - Nation Quality Test Institution
- National Quality Integrity Bench marking Enterprise - Nation Quality Test Institution
- 2016 Asia Famous Brand Certificate
- 2016 Asia Famous Brand Award
- Of week 2015 Best LED Innovation Design Award
- Of week 2015 The Most Valuable LED Enterprise Award
- 2015 Interni Smart Lighting Design Contribution Award
- 2015 Shanghai Lighting Technology and Application Trend Forum Excellent Partner

Opplle Products are Certified for
Quality & Performance by Leading International & National Bodies



smart LIGHT



Zenith

Application



Product (W)	Power	Colour	Product Description	MRP (₹)	Std. Pack Code (Pcs)
542006009710	75	3000	LEDPanelSp-Z L1222-75W-FIX-3000-TR-GP	28500	1
542006009810	75	4000	LEDPanelSp-Z L1222-75W-FIX-4000-TR-GP	28500	1
542006007910	75	5700	LEDPanelSp-Z L1222-75W-BLE-5700-TR-GP	30500	1
542006008010	75	3000	LEDPanelSp-Z L1222-75W-BLE-3000-TR-GP	30500	1
542006008110	75	4000	LEDPanelSp-Z L1222-75W-DALI-4000-TR-GP	28500	1
542006008210	75	5700	LEDPanelSp-Z L1222-75W-DALI-5700-TR-GP	28500	1

Features & Benefits

- Compatible with intelligent controls like Bluetooth & Dali
- Unique see through design , modern design
- Omni directional light emission • Batwing light distribution • High lumen efficacy, 100 lm/W



Office Linear

Application



Product Code	Power (W)	Colour	Product Description	MRP (₹)
542005004900	15	3000	LEDLima L12-15W-3000-U19-BLE	POR
542005004800	15	4000	LEDLima L12-15W-4000-U19-BLE	POR
542005004700	18	3000	LEDLima L15-18W-3000-U19-BLE	POR
542005004600	18	4000	LEDLima L15-18W-4000-U19-BLE	POR
542005004500	30	3000	LEDLima L12-30W-3000-BLE	POR
542005004400	30	4000	LEDLima L12-30W-4000-BLE	POR
542005004300	36	3000	LEDLima L15-36W-3000-BLE	POR
542005004200	36	4000	LEDLima L15-36W-4000-BLE	POR

Features & Benefits

- High efficiency - Upto 100lm/ W
- Suspended, Surface & Luminaire - Luminaire installation
- Flicker Free
- Suitable for office & Public area application



Down Light

Application



Product Code	Power (W)	Colour	Product Description	MRP (₹)
140063615	23	3000	LEDDOWNLIGHTRC-P-HG R200-23W-BLE-3000	POR
140063616	23	4000	LEDDOWNLIGHTRC-P-HG R200-23W-BLE-4000	POR

Features & Benefits

- Unique optical lens design
- High efficacy
- Excellent thermal management




Application



Product Code	Power (W)	Colour	Product Description	MRP (₹)
542004014000	30	3000	LEDPanelRc-S4 Sq595-30W-BLE-3000-WH-U19	POR
542004014100	30	4000	LEDPanelRc-S4 Sq595-30W-BLE-4000-WH-U19	POR
542004016300	30	6500	LEDPanelRc-S4 Sq595-30W-BLE-6500-WH-U19	POR
542004014200	30	3000	LEDPanelRc-S4 Re295-30W-BLE-3000-WH-U19	POR
542004014300	30	4000	LEDPanelRc-S4 Re295-30W-BLE-4000-WH-U19	POR
542004016400	30	6500	LEDPanelRc-S4 Re295-30W-BLE-6500-WH-U19	POR

Features & Benefits

- High Efficiency • Smart Lighting • Diffuser • UGR<19



Features & Benefits

- Easy control of any luminaire within the Opple Smart Lighting system
- Create lighting scenes with both Opple luminaires and other decorative lighting solutions
- Automatic switching of any luminaire in combination with the Opple Smart Sensor
- Overload protection




Accessory



Product Code	Product Description	MRP (₹)
140063563	LED Smartlight-Rc-Sensor	POR
140063564	BLE System Control Panel	POR
506006003100	LED Smart-Relay-500W	POR



LED V7 Bulb

 **HIGH LUMEN OUTPUT**

 **LONG LASTING**

 **LONG BEAM ANGLE**

 **2.5KV SURGE PROTECTION**

 **WIDE OPERATING**

Application



Retail



Hotel




Home

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
500008030410	3	3000	LED-E1-P45-E27-3W-3000K-CT-V7-BEE	149	100
500008030510	3	6500	LED-E1-P45-E27-3W-6500K-CT-V7-BEE	149	100
500008030610	3	3000	LED-E1-P45-B22-3W-3000K-CT-V7-BEE	149	100
500008030710	3	6500	LED-E1-P45-B22-3W-6500K-CT-V7-BEE	149	100
500008010811	4.5	3000	LED-E2-P45-E14-4.5W-3000K-CT-BEE	179	50
500008010911	4.5	6500	LED-E2-P45-E14-4.5W-6500K-CT-BEE	179	50
500008030810	5	3000	LED-E1-P45-E27-5W-3000K-CT-V7-BEE	179	50
500008030910	5	6500	LED-E1-P45-E27-5W-6500K-CT-V7-BEE	179	50
500008031010	5	3000	LED-E1-P45-B22-5W-3000K-CT-V7-BEE	179	50
500008031110	5	6500	LED-E1-P45-B22-5W-6500K-CT-V7-BEE	179	50
500008031610	9	3000	LED-E1-A60-E27-9W-3000K-CT-V7-BEE	249	50
500008031710	9	6500	LED-E1-A60-E27-9W-6500K-CT-V7-BEE	249	50
500008031810	9	3000	LED-E1-A60-B22-9W-3000K-CT-V7-BEE	249	50
500008031910	9	6500	LED-E1-A60-B22-9W-6500K-CT-V7-BEE	249	50
500008032010	12	3000	LED-E1-A70-E27-12W-3000K-CT-V7-BEE	349	50
500008032110	12	6500	LED-E1-A70-E27-12W-6500K-CT-V7-BEE	349	50
500008032210	12	3000	LED-E1-A70-B22-12W-3000K-CT-V7-BEE	349	50
500008032310	12	6500	LED-E1-A70-B22-12W-6500K-CT-V7-BEE	349	50
500008032410	14	3000	LED-E1-A70-E27-14W-3000K-CT-V7-BEE	449	50
500008032510	14	6500	LED-E1-A70-E27-14W-6500K-CT-V7-BEE	449	50
500008032610	14	3000	LED-E1-A70-B22-14W-3000K-CT-V7-BEE	449	50
500008032710	14	6500	LED-E1-A70-B22-14W-6500K-CT-V7-BEE	449	50
500007006910	18	3000	LED-E1-A80-E27-18W-3000K-CT-V7-BEE	549	50
500007007010	18	6500	LED-E1-A80-E27-18W-6500K-CT-V7-BEE	549	50
500007007110	18	3000	LED-E1-A80-B22-18W-3000K-CT-V7-BEE	549	50
500007007210	18	6500	LED-E1-A80-B22-18W-6500K-CT-V7-BEE	549	50

Features & Benefits

- Protects sensitive eyesight • Long lifespan, install and forget • Long Beam angle

LIGHT SOURCE



LED High Power Bulb E-1



Application

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
500007009640	30	3000	LED-E1-HPB-B22-30W-3000K-CT-India	799	20
500007008240	30	6500	LED-E1-HPB-B22-30W-6500K-CT-India	799	20
500007009740	40	3000	LED-E1-HPB-B22-40W-3000K-CT-India	999	16
500007008340	40	6500	LED-E1-HPB-B22-40W-6500K-CT-India	999	16
500007009840	50	3000	LED-E1-HPB-B22-50W-3000K-CT-India	1299	16
500007008440	50	6500	LED-E1-HPB-B22-50W-6500K-CT-India	1299	16

Features & Benefits

- Flicker Free • High Lumen output • Energy efficient • Long Life time



LED High Power Bulb Performer



Application

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
500006001310	95	6500	LED-P1-HPB-E4095W-6500K	6750	6

Features & Benefits

- High Lumen output upto 126 Lm/w • Replacement of 100W-200W HID Lamps • 2.5 times Longer life than HID

LIGHT SOURCE



LED T5 EII Batten



DESIGNER
END CAP



BRIGHT &
UNIFORM LIGHT



UNIBODY
HOUSING DESIGN



Supermarket



Warehouse



Office




Parking

Application

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140060481/503002022940	5	3000	LED-E2-T5 batten-0.3m-5W-3000K-CT	395	25
140060900/503002023040	5	4000	LED-E2-T5 batten-0.3m-5W-4000K-CT	395	25
140060482/503002023140	5	6500	LED-E2-T5 batten-0.3m-5W-6500K-CT	395	25
140060483/503002023240	11	3000	LED-E2-T5 batten-0.6m-11W-3000K-CT	495	25
140060899/503002023340	11	4000	LED-E2-T5 batten-0.6m-11W-4000K-CT	495	25
140060484/503002023440	11	6500	LED-E2-T5 batten-0.6m-11W-6500K-CT	495	25
140060485/503002023540	20	3000	LED-E2-T5 batten-1.2m-20W-3000K-CT	649	25
140060898/503002023640	20	4000	LED-E2-T5 batten-1.2m-20W-4000K-CT	649	25
140060486/503002023740	20	6500	LED-E2-T5 batten-1.2m-20W-6500K-CT	649	25

Features & Benefits

- Unibody housing design • Different size options for different customer needs (1/2/4 feet.) • In 3 Colour temperatures 3000K, 4000K and 6500K
- High quality engineering plastic diffuser



LED Utility HF Batten



MULTIPLE
APPLICATIONS



PLUG-N-PLAY
INSTALLATION



Warehouse



Station



Hospital



Shopping Mall



Parking



School

Application

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
542005044210	32W	6500K	LED-U II -HF Linear-1200mm-32W-3000K-IBU-F	995	25
542005044310	32W	4000K	LED-U II -HF Linear-1200mm-32W-4000K-IBU-F	995	25
542005044410	32W	3000K	LED-U II -HF Linear-1200mm-32W-6500K-IBU-F	995	25
542005005310	16W	6500K	LED-U-HF Linear-600mm-16W-6500K-IBU	695	25
542005005410	16W	4000K	LED-U-HF Linear-600mm-16W-4000K-IBU	695	25
542005005510	16W	3000K	LED-U-HF Linear-600mm-16W-3000K-IBU	695	25

Features & Benefits

- High efficacy upto 120 lm/w • Multiple applications: Supermarket, parking area, warehouse • Plug-n-play installation

LIGHT SOURCE



LED T8 EcoMax Tube



FLICKER FREE



SPARKLING EFFECT



Home



Hospital



Hotel



Parking



Office




Shopping Mall

Application

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
502003003610	20	3000	LED-E1-T8-1200mm-20W-3000K-Glass-CT	575	25
502003003710	20	4000	LED-E1-T8-1200mm-20W-4000K-Glass-CT	575	25
502003003810	20	6500	LED-E1-T8-1200mm-20W-6500K-Glass-CT	575	25

Features & Benefits

- High brightness - More than 105 lm/W
- Long lifespan, install and forget
- USP product for Project Application



LED T8 Empty Batten



HIGH BRIGHTNESS



LONG LIFE SPAN



Home



Hotel



Office



Hospital

Application

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140055131	-	-	LED-U-T8 EMPTY Batten-1200mm-TT-CT	355	20
140055133	-	-	LED-U-T8 EMPTY Batten-1200mm-TTR-CT (with reflector)	455	20

Features & Benefits

- Flicker free - Protects sensitive eyesight
- Beautiful design & produces sparkling effect

• Accessories for T8 Tube



GX5.3 Utility



BEAM ANGLE



GOOD REPLACEMENT



Home



Hotel



Shopping Mall



Restaurant


Application

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140065094	6	2700K	LED-E2-GX5.3-6W-36D-2700K-CT	325	100
501002000210	6	4000K	LED-E2-GX5.3-6W-36D-4000K-CT	325	100
140065095	6	6500K	LED-E2-GX5.3-6W-36D-6500K-CT	325	100
140065096	8	2700K	LED-E2-GX5.3-8W-36D-2700K-CT	500	100
140065097	8	6500K	LED-E2-GX5.3-8W-36D-6500K-CT	500	100

Features & Benefits

- Single optical lens technology
- Broad beam angle
- Good replacement for Mr16

LIGHT SOURCE



GU10 UTILITY



FLICKER FREE



BEAM ANGLE



Home



Hotel



Shopping Mall



Restaurant

Application

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140065088	6	2700K	LED-E2-GU10-6W-36D-2700K-CT	325	100
140067471	6	4000K	LED-E2-GU10-6W-36D-4000K-CT	325	100
140065089	6	6500K	LED-E2-GU10-6W-36D-6500K-CT	325	100
140065090	8	2700K	LED-E2-GU10-8W-36D-2700K-CT	500	100
140065091	8	6500K	LED-E2-GU10-8W-36D-6500K-CT	500	100

Features & Benefits

• Single optical lens technology • Broad beam angle • Flicker free - Protects sensitive eyesight



LED Utility RGB Strip

IP65 STRIP



RF REMOTE

MORE THAN 25 MODES



FLICKER FREE



Home



Hotel



Shopping Mall



Restaurant




Office

Application

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
504000009640	5W/M	RGB	LED-Strip-2835-5W/M-40M-RGB-India	34,999	1

Features & Benefits

• IP65 RGB Strip • RF Remote • 40 Mtr Roll Length • Easy and safe installation • Good flexibility for any shape



LED Utility 2 HV Strip



EASY AND SAFE INSTALL



HIGH QUALITY & TRANSPARENT PVC



Home



Hotel



Shopping Mall



Restaurant



Office

Application

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)
504000002211	6W/M	3000K	LED-Strip-2835-220V-6W/M-45-60-6000K	9,900
504000002311	6W/M	4000K	LED-Strip-2835-220V-6W/M-45-60-4000K	9,900
504000002411	6W/M	6500K	LED-Strip-2835-220V-6W/M-45-60-6500K	9,900
504000002511	6W/M	RED	LED-Strip-2835-220V-6W/M-45-60-Red	9,900
504000002611	6W/M	BLUE	LED-Strip-2835-220V-6W/M-45-60-Blue	9,900
504000002711	6W/M	GREEN	LED-Strip-2835-220V-6W/M-45-60-Green	9,900
504000002811	-	-	LED-Strip-2835-220V-6W/M-45-60-Accessory package	250

Features & Benefits

• Good flexibility for any shape • High quality & highly transparent PVC • Easy and safe installation

LIGHT SOURCE



Peacock

HIGH BRIGHTNESS

LONG LIFE SPAN

ENERGY SAVING

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
522017000100	5.7W	3000k/4000k/5700k	MZB120-D2.2x1+0.4x3-Peacock-3000K/4000K/5700K	8500	4

Features & Benefits

- Combination of Modern optics and Bionic Art • Powder coating Aluminium Housing • Glossy finish • Beautiful Peacock Light effect



Fan Light

HIGH BRIGHTNESS

LONG LIFE SPAN

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
521005002300	73	6500	OP-35QN-D0.5x48	14999	1

Features & Benefits

- Remote operated smart fan • Suitable for room area 10-15 Sq mtr • 3 Speed control



Cloud

HIGH BRIGHTNESS

LONG LIFE SPAN

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
520035005800	92W	5700+3000	LED HC6565 92W 5700K+3000K RG Cloud	17995	25

Features & Benefits

- Three step color Tunable • Modern Design • Flicker free • CRI > 80



LED Table Lamp Pipe

LED Table Lamp Reader



DIMMABLE



FLICKER FREE



LONG LIFESPAN

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140058613	3	4000	LED MT Dim White Pipe	1455	20
523006001210	5	4000	LED MT 5W 4000K Reader	1500	12

Features & Benefits

- Smart touch controls for reading/surfing modes and brightness adjustment
- Dimmable from 10-100% brightness
- Flicker free - Protects sensitive eyesight
- Long lifespan, install and forget
- Robust design

Reader

- Sturdy built, golden colour
- 3 dimming levels: 10%, 50% & 100%



Diamond IP44



FLICKER FREE



IP44 DUST & MOISTURE FREE

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140067245	6	3000K	LED-HC180-D0.2*30-Diamond-3000K-R-F	750	20
140067246	6	5700K	LED-HC180-D0.2*30-Diamond-5700K-R-F	750	20
140067253	12	3000K	LED-HC230-D0.2*60-Diamond-3000K-R-F	1750	20
140067254	12	5700K	LED-HC230-D0.2*60-Diamond-5700K-R-F	1750	20
140067249	9	3000K	LED-HC1818-D0.2*42-Diamond-3000K-S-F	1350	20
140067250	9	5700K	LED-HC1818-D0.2*42-Diamond-5700K-S-F	1350	20

Features & Benefits

- IP 44 - Dust & moisture free
- Modular designed LED chip board
- Flicker free - Protects sensitive eyesight



Bear

Star Diamond



20,000 HOURS



FLICKER FREE


Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140050872	22W	3000K/4500K	MX420- D0.5'485T-14-Bear	4200	6
140051928	22W	3000K/4500K	HC480- Star Diamond	4560	5

Features & Benefits

• Replaceable LED module, optimised lens design • High-quality acrylic cover (PMMA), 99% light transparency • 20,000 hour lifespan



Akira



HIGH LUMEN BRIGHT LIGHT



ANTI-UV

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140061354/520021000110	23W	4000K	LED HC420 23W Akira 4000K	2990	6

Features & Benefits

• High lumen, bright light • Anti-UV polycarbonate cover • Prism frame design with Crystal effect



Parrot



20,000 HOURS



FLICKER FREE

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140054619	9.6W	2700	HC260 Parrot	1380	10
140047014	9.6W	5700	HC260 Parrot	1380	10

Features & Benefits

• Replaceable LED module, optimised lens design • High-quality acrylic cover (PMMA), 99% light transparency • 20,000 hour lifespan • Flicker free - Protects sensitive eyesight • Uniform light output: Driver on board, PMMA lens



Twinke Star



FLICKER
FREE



ENERGY
SAVING

Product Code	Power (W)	CCT (K)	Colour	Product Description	MRP (₹)
140056331/140060291	33W	5700K	White (yellow edge)	LED Mx518 33W Dim III Twinkle Star	10950

Features & Benefits

- Flicker free - Protects sensitive eyesight
- Magic control - 6 colour decorative sensor dimmer
- Unique design - Shape & light effect



Type C



UV Germicidal Luminaire



MOTION
DETECTION FOR
HUMAN PROTECTION



KILLS 99.99%
GERMS

Product Code	Power (W)	UV Wave	Product Description	MRP (₹)	Std. Pack (Pcs)
523008004700	92W	253 nm	OP-UV-Germicidal lamp-E 38W-BK-GP (C Plug)	9999	6

Features & Benefits

- Effectively Kills bacteria, viruses & Mites
- Three Modes of application
- Motion detection for human protection
- Remote control operation

CONSUMER



Emergency Lighting



TWO-STEP
DIMMING



HIGH LUMEN
BRIGHT LIGHT

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
523008000410	4W	4000K	LED MT 4W DIM COMPASS	₹ 490	50
523008000510	8W	4000K	LED MT 8W DIM COMPASS	₹ 990	30

Features & Benefits

• Two-step dimming (50%,100%) • Stand, wall mounting & hanging option • Light weight & compact size, easy to carry



Mirror Light Knight



TRUE
COLOR



ENERGY
SAVING

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140053329	8W	3000K	LED-HML455A-DO.2*40-Knight	3512	12

Features & Benefits

• True colour - CRI > 80, your face is shown under good light with colours appearing appealing and natural • Fix or rotate: Stylish design and 2 choices available - fixed and rotatable to meet

CONSUMER



Ecomax LED Spot



FLICKER FREE



HIGH EFFICACY

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
541003077910	9	3000	LEDSpotlightRA-E R75-9W-3000-36D-WH-GP	1,499	30
541003078010	9	4000	LEDSpotlightRA-E R75-9W-4000-36D-WH-GP	1,499	30
541003078110	9	6500	LEDSpotlightRA-E R75-9W-6500-36D-WH-GP	1,499	30
541003078210	15	3000	LEDSpotlightRA-E R90-15W-3000-36D-WH-GP	1,899	30
541003078310	15	4000	LEDSpotlightRA-E R90-15W-4000-36D-WH-GP	1,899	30
541003078410	15	6500	LEDSpotlightRA-E R90-15W-6500-36D-WH-GP	1,899	30
541003078510	22	3000	LEDSpotlightRA-E R110-22W-3000-45D-WH-GP	2,899	30
541003078610	22	4000	LEDSpotlightRA-E R110-22W-4000-45D-WH-GP	2,899	30
541003078710	22	6500	LEDSpotlightRA-E R110-22W-6500-45D-WH-GP	2,899	30

Features & Benefits

- Flicker free - Protects sensitive eyesight
- Optimal heat management
- Wide range of cutout adjustment
- High efficacy



US Spot



CLEAN BEAM



EASY TO USE



ENERGY SAVING



FLICKER FREE

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
541003090600	4	3000	LEDSpotlightra-US R70-4W-3000-WH-GP	399	60
541003090500	4	4000	LEDSpotlightra-US R70-4W-4000-WH-GP	399	60
541003090400	4	6500	LEDSpotlightra-US R70-4W-5700-WH-GP	399	60
541003090300	6	3000	LEDSpotlightra-US R70-6W-3000-WH-GP	600	60
541003090200	6	4000	LEDSpotlightra-US R70-6W-4000-WH-GP	600	60
541003090100	6	6500	LEDSpotlightra-US R70-6W-5700-WH-GP	600	60
541003089800	8	3000	LEDSpotlightra-US R70-8W-3000-WH-GP	999	60
541003089900	8	4000	LEDSpotlightra-US R70-8W-4000-WH-GP	999	60
541003090000	8	6500	LEDSpotlightra-US R70-8W-5700-WH-GP	999	60

Features & Benefits

- Clean Beam
- Comfortable light
- Easy to use
- Energy Saving
- Flicker free

PROFESSIONAL



LED Grid HJ



Application



EYE LENSE WITH HIGH EFFICACY



BEAM ANGLE



Home



Hotel



Restaurant




Retail

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140056821	10	3000	LEDSpotGR-HJ-1 10W-3000-24D-WH-GP	2100	12
140056851	10	4000	LEDSpotGR-HJ-1 10W-4000-24D-WH-GP	2100	12
140056852	20	3000	LEDSpotGR-HJ-2 20W-3000-24D-WH-GP	3674	8
140056853	20	4000	LEDSpotGR-HJ-2 20W-4000-24D-WH-GP	3674	8
140056854	20	3000	LEDSpotGR-HJ-1 20W-3000-24D-WH-GP	3754	8
140056855	20	4000	LEDSpotGR-HJ-1 20W-4000-24D-WH-GP	3754	8
140056858	30	3000	LEDSpotGR-HJ-1 30W-3000-24D-WH-GP	3874	8
140056859	30	4000	LEDSpotGR-HJ-1 30W-4000-24D-WH-GP	3874	8
140056856	40	3000	LEDSpotGR-HJ-2 40W-3000-24D-WH-GP	6838	4
140056857	40	4000	LEDSpotGR-HJ-2 40W-4000-24D-WH-GP	6838	4
140056862	40	3000	LEDSpotGR-HJ-1 40W-3000-24D-WH-GP	4976	8
140056863	40	4000	LEDSpotGR-HJ-1 40W-4000-24D-WH-GP	4976	8
140056860	60	3000	LEDSpotGR-HJ-2 60W-3000-24D-WH-GP	7348	4
140056861	60	4000	LEDSpotGR-HJ-2 60W-4000-24D-WH-GP	7348	4
140056864	80	3000	LEDSpotGR-HJ-2 80W-3000-24D-WH-GP	9760	4
140056865	80	4000	LEDSpotGR-HJ-2 80W-4000-24D-WH-GP	9760	4

*4000K Products are available on request

Features & Benefits

- Newly design compound-eye lens with high efficacy
- Aluminum die-casting heat sink
- Multiple choices of beam angle & grid heads
- Tilt 35°, beam angle 24°



US Downlight



FLICKER FREE



ENERGY SAVING



EASY TO INSTALL

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
541003072300	4	3000	LEDDownlightRc-US R70-4W-3000-WH-GP	449	60
541003072100	4	4000	LEDDownlightRc-US R70-4W-4000-WH-GP	449	60
541003072100	4	5700	LEDDownlightRc-US R70-4W-5700-WH-GP	449	60
541003071900	6	3000	LEDDownlightRc-US R70-6w-3000-WH-GP	549	60
541003072200	6	4000	LEDDownlightRc-US R70-6w-4000-WH-GP	549	60
541003071800	6	5700	LEDDownlightRc-US R70-6w-5700-WH-GP	549	60

Features & Benefits

- Flicker Free, Easy Installation, Energy Saving
- Large diffusing area
- Up to 60% energy savings from CFL downlight
- 3000K, 4000K and 6000K

PROFESSIONAL



LED Slim Downlight



HIGH LUMEN
OUTPUT



EASY
MAINTENANCE



ENERGY
SAVING



Home



Hotel



Retail



Shopping Mall



Office



School

Application

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
540001035610	6	3000	LEDDownlightRc-HPF ESIII R100-6W-3000-WH	650	30
540001034810	6	4000	LEDDownlightRc-HPF ESIII R100-6W-4000-WH	650	30
540001034910	6	6500	LEDDownlightRc-HPF ESIII R100-6W-6500-WH	650	30
540001034410	12	3000	LEDDownlightRc-HPF ESIII R150-12W-3000-W	1000	20
540001034510	12	4000	LEDDownlightRc-HPF ESIII R150-12W-4000-W	1000	20
540001033910	12	6500	LEDDownlightRc-HPF ESIII R150-12W-6500-W	1000	20
540001034610	18	3000	LEDDownlightRc-HPF ESIII R200-18W-3000-W	1300	10
540001036110	18	4000	LEDDownlightRc-HPF ESIII R200-18W-4000-W	1300	10
540001035210	18	6500	LEDDownlightRc-HPF ESIII R200-18W-6500-W	1300	10
540001035710	24	3000	LEDDownlightRc-HPF ESIII R200-24W-3000-W	1500	10
540001034310	24	4000	LEDDownlightRc-HPF ESIII R200-24W-4000-W	1500	10
540001035310	24	6500	LEDDownlightRc-HPF ESIII R200-24W-6500-W	1500	10
540001035010	6	3000	LEDDownlightRc-HPF ESIII S100-6W-3000-WH	650	30
540001035510	6	4000	LEDDownlightRc-HPF ESIII S100-6W-4000-WH	650	30
540001035110	6	6500	LEDDownlightRc-HPF ESIII S100-6W-6500-WH	650	30
540001035810	12	3000	LEDDownlightRc-HPF ESIII S150-12W-3000-W	1000	20
540001036210	12	4000	LEDDownlightRc-HPF ESIII S150-12W-4000-W	1000	20
540001036010	12	6500	LEDDownlightRc-HPF ESIII S150-12W-6500-W	1000	20
540001034110	18	3000	LEDDownlightRc-HPF ESIII S200-18W-3000-W	1300	10
540001034210	18	4000	LEDDownlightRc-HPF ESIII S200-18W-4000-W	1300	10
540001034710	18	6500	LEDDownlightRc-HPF ESIII S200-18W-6500-W	1300	10
540001034010	24	3000	LEDDownlightRc-HPF ESIII S200-24W-3000-W	1500	10
540001035910	24	4000	LEDDownlightRc-HPF ESIII S200-24W-4000-W	1500	10
540001035410	24	6500	LEDDownlightRc-HPF ESIII S200-24W-6500-W	1500	10

Features & Benefits

- HPF Product • High lumen output & long life • Up to 50 % energy saving than conventional downlight • Lasts 3 times longer than conventional downlight
- Easy maintenance and aesthetic product

PROFESSIONAL



LED Spot HJ

Application



Home

Hotel

Retail

Restaurant

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140056827	10	3000	LEDSpotRA-HJ 10W-3000-16D-WH-GP	1798	30
140056828	10	3000	LEDSpotRA-HJ 10W-3000-24D-WH-GP	1798	30
140056829	10	3000	LEDSpotRA-HJ 10W-3000-36D-WH-GP	1798	30
140056830	10	4000	LEDSpotRA-HJ 10W-4000-16D-WH-GP	1798	30
140056831	10	4000	LEDSpotRA-HJ 10W-4000-24D-WH-GP	1798	30
140056832	10	4000	LEDSpotRA-HJ 10W-4000-36D-WH-GP	1798	30
140056833	16	3000	LEDSpotRA-HJ 16W-3000-16D-WH-GP	2325	32
140056834	16	3000	LEDSpotRA-HJ 16W-3000-24D-WH-GP	2325	32
140056835	16	3000	LEDSpotRA-HJ 16W-3000-36D-WH-GP	2325	32
140056836	16	4000	LEDSpotRA-HJ 16W-4000-16D-WH-GP	2325	32
140056837	16	4000	LEDSpotRA-HJ 16W-4000-24D-WH-GP	2325	32
140056838	16	4000	LEDSpotRA-HJ 16W-4000-36D-WH-GP	2325	32
140056839	30	3000	LEDSpotRA-HJ 30W-3000-16D-WH-GP	3518	24
140056840	30	3000	LEDSpotRA-HJ 30W-3000-24D-WH-GP	3518	24
140056841	30	3000	LEDSpotRA-HJ 30W-3000-36D-WH-GP	3518	24
140056842	30	4000	LEDSpotRA-HJ 30W-4000-16D-WH-GP	3518	24
140056843	30	4000	LEDSpotRA-HJ 30W-4000-24D-WH-GP	3518	24
140056844	30	4000	LEDSpotRA-HJ 30W-4000-36D-WH-GP	3518	12
140056845	40	3000	LEDSpotRA-HJ 40W-3000-17D-WH-GP	4672	12
140056846	40	3000	LEDSpotRA-HJ 40W-3000-24D-WH-GP	4672	12
140056847	40	3000	LEDSpotRA-HJ 40W-3000-36D-WH-GP	4672	12
140056848	40	4000	LEDSpotRA-HJ 40W-4000-17D-WH-GP	4672	12
140056849	40	4000	LEDSpotRA-HJ 40W-4000-24D-WH-GP	4672	12
140056850	40	4000	LEDSpotRA-HJ 40W-4000-36D-WH-GP	4672	12

Features & Benefits

- New designed compound-eye lens
- Aluminum die-casting heat sink
- Horizontal rotation 355°, vertical rotation 35°

PROFESSIONAL



Track Utility



BEAM
ANGLE



HIGH LUMEN
OUTPUT



ENERGY
SAVING



Home



Hotel



Retail



Restaurant

Application

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140058507	5	3000	LEDspotTR-U 5W-3000-30D-WH-GP	599	48
140058508	5	6500	LEDspotTR-U 5W-6500-30D-WH-GP	599	48
140058509	7	3000	LEDspotTR-U 7W-3000-30D-WH-GP	699	48
140058510	7	6500	LEDspotTR-U 7W-6500-30D-WH-GP	699	48
140066316	12	3000	LEDspotTR-U 12W-3000-30D-WH-GP	1599	36
140066317	12	6500	LEDspotTR-U 12W-6500-30D-WH-GP	1599	36
140066318	20	3000	LEDspotTR-U 20W-3000-30D-WH-GP	2299	24
140066319	20	6500	LEDspotTR-U 20W-6500-30D-WH-GP	2299	24
140066320	30	3000	LEDspotTR-U 30W-3000-30D-WH-GP	3299	12
140066321	30	6500	LEDspotTR-U 30W-6500-30D-WH-GP	3299	12
140059216	-	-	track-LG205/WH-2line-0.5m	350	30
140059217	-	-	track-LG210/WH-2line-1.0m	590	30
140059218	-	-	connector-LGLJQ-I/WH-2line-I shape	150	200
140059219	-	-	connector-LGLJQ-L/WH2line-Lshape	190	200

Features & Benefits

- Uniform light with clean beam angle • Aluminum housing with aesthetic design • Flexible adjustment horizontally & vertically



Track utility (Surface Mounted)



UV FREE



BEAM
ANGLE



Home



Hotel



Retail



Restaurant

Application

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140058511	5	3000	LEDspotSM-U 5W-3000-30D-WH-GP	599	48
140058512	5	6500	LEDspotSM-U 5W-6500-30D-WH-GP	599	48
140058513	7	3000	LEDspotSM-U 7W-3000-30D-WH-GP	699	48
140058514	7	6500	LEDspotSM-U 7W-6500-30D-WH-GP	699	48

Features & Benefits

- Multiple beam angle options - 10°, 15°, 20° or 30° • Tilt 180°, rotate 355° • No UV radiation

PROFESSIONAL



HS Spotlight



CLEAN
BEAM



EASY
TO USE

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140062765	4.5	3000	LEDSpotlightRA-HS R70-4.5W-3000-WH-GP	399	45
140062766	4.5	4000	LEDSpotlightRA-HS R70-4.5W-4000-WH-GP	399	45
140062767	4.5	5700	LEDSpotlightRA-HS R70-4.5W-5700-WH-GP	399	45
140063441	7	3000	LEDSpotlightRA-HS R70-7W-3000-WH-GP	600	45
140063442	7	4000	LEDSpotlightRA-HS R70-7W-4000-WH-GP	600	45
140063443	7	5700	LEDSpotlightRA-HS R70-7W-5700-WH-GP	600	45

Features & Benefits

- Clean beam • Easy to use



Junction Downlight



FLICKER
FREE



EASY TO
INSTALL

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
540001033510	7W	3000K	LEDDownlightRc-ESVI R72-7W-3000-WH-NV	390	45
540001033410	7W	4000K	LEDDownlightRc-ESVI R72-7W-4000-WH-NV	390	45
540001033610	7W	6500K	LEDDownlightRc-ESVI R72-7W-6500-WH-NV	390	45
540001033810	5W	3000K	LEDDownlightRc-ESVI R72-5W-3000-WH-NV	350	45
540001033710	5W	4000K	LEDDownlightRc-ESVI R72-5W-4000-WH-NV	350	45
540001033310	5W	6500K	LEDDownlightRc-ESVI R72-5W-6500-WH-NV	350	45

Features & Benefits

- Glare free light • Flicker free • Easy to install



LED UII Panel Backlit



FLICKER
FREE



HIGH LUMEN
EFFICACY



LONG
LIFESPAN



Library



Shopping Mall



Office



Hospital



Conference Room



School

Application

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
542003022510	32	4000	LEDPanel-BL Sq595-32W-4000-WH-GP-UII	7200	5
542003022610	32	6500	LEDPanel-BL Sq595-32W-6500-WH-GP-UII	7200	5
542003027110	32	3000	LEDPanel-BL Sq595-32W-3000-WH-GP-UII	7200	5
542098014010		White	LEDSPanel-BL-UII Sq595-Surface Module-WH	1800	10

Features & Benefits

- Flicker free - Protects sensitive eyesight • High lumen efficacy • Long lifespan, install and forget • Ultra Slim Design • Light Weight • 3600 lm/W

PROFESSIONAL



LED EIII Panel Backlit

Application



FLICKER FREE



HIGH LUMEN EFFICACY



LONG LIFESPAN



Library



Shopping Mall



Office



Hospital



Conference Room



School

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
542004018010	32	3000	LEDSPanelRc-EIII Sq595-32W-3000-WH-India	8500	5
542004018110	32	4000	LEDSPanelRc-EIII Sq595-32W-4000-WH-India	8500	5
542004018210	32	6500	LEDSPanelRc-EIII Sq595-32W-6500-WH-India	8500	5
542098007310	-	-	LEDSPANEL Clip	-	-

Features & Benefits

• Flicker free - Protects sensitive eyesight • High lumen efficacy • Long lifespan, install and forget • Edgelit panel • High efficacy



LED Office Linear

Application



HIGH LUMEN EFFICACY



FLICKER FREE



Home



Public Area



Office



Hotel

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
542005003910	36W	3000K	LED-E-Linear Office-1200mm-36W-3000K-CT	6500	6
542005003010	36W	4000K	LED-E-Linear Office-1200mm-36W-4000K-CT	6500	6
542005003110	36W	6500K	LED-E-Linear Office-1200mm-36W-6500K-CT	6500	6
599006044710	-	-	LED-E-Linear Office-Suspended Rope	400	24
599006044610	-	-	LED-E-Linear Office-Middle Connector	100	50

Features & Benefits

• High efficacy - Upto 100 Lm/ W • Suspended, Surface & Luminaire - Luminaire installation • Flicker Free • Suitable for office & Public area application

PROFESSIONAL



LED Highbay EcoMax

Application

IP65 IP65 & DUST PROOF

HIGH LUMEN EFFICACY

FLICKER FREE



Industrial



Warehouse



Station



Gymnasium

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
545001005600	80	5700	LEDHighbay-E 80W-5700-60D-GY-GP	11550	4
545001005800	150	5700	LEDHighbay-E 150W-5700-60D-GY-GP	21500	2
545001006100	200	5700	LEDHighbay-E 200W-5700-60D-GY-GP	24500	2

Features & Benefits

• High Efficacy • Radial heat sink design • IP65 & Dust proof • 4KV Surge protection



Flood Light EII

Application

HIGH LUMEN OUTPUT

IP65 IP65 PROTECTION RATING



Landscape



Square



Parking



Architecture



Billboard

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140059516	30	3000	LED floodlight-E II 30 W-3000 GY-GP	3060	18
140059517	30	4000	LED floodlight-E II 30 W-4000 GY-GP	3060	18
140059518	30	6000	LED floodlight-E II 30 W-6000 GY-GP	3060	18
140059519	50	3000	LED floodlight-E II 50 W-3000 GY-GP	4320	12
140059520	50	4000	LED floodlight-E II 50 W-4000 GY-GP	4320	12
140059521	50	6000	LED floodlight-E II 50 W-6000 GY-GP	4320	12
140059619	70	3000	LED floodlight-E II 70 W-3000 GY-GP	4900	6
140059620	70	4000	LED floodlight-E II 70 W-4000 GY-GP	4900	6
140059621	70	6000	LED floodlight-E II 70 W-6000 GY-GP	4900	6
140059622	100	3000	LED floodlight-E II 100 W-3000 GY-GP	5300	6
140059623	100	4000	LED floodlight-E II 100 W-4000 GY-GP	5300	6
140059624	100	6000	LED floodlight-E II 100 W-6000 GY-GP	5300	6

Features & Benefits

• Optimal heat management • High lumen output, anti-glare • IP65 protection rating • Anti-shock IK08, 3G vibration endurance

PROFESSIONAL



Flood Light EQ

Application

IP65
PROTECTION
RATING

HIGH LUMEN
EFFICACY



Landscape



Square



Parking



Architecture



Billboard

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
543017007510	10W	3000K	LED Floodlight-EQ 10W-3000-GY-GP-VLT	1,180	8
543017007310	10W	6500K	LED Floodlight-EQ 10W-6500-GY-GP-VLT	1,180	8
543017007210	20W	3000K	LED Floodlight-EQ 20W-3000-GY-GP-VLT	1,980	8
543017007010	20W	6500K	LED Floodlight-EQ 20W-6500-GY-GP-VLT	1,980	8
543017006910	30W	3000K	LED Floodlight-EQ 30W-3000-GY-GP-VLT	2,380	8
543017006710	30W	6500K	LED Floodlight-EQ 30W-6500-GY-GP-VLT	2,380	8
543017006610	50W	3000K	LED Floodlight-EQ 50W-3000-GY-GP-VLT	2,980	6
543017006410	50W	6500K	LED Floodlight-EQ 50W-6500-GY-GP-VLT	2,980	6
543017006310	70W	3000K	LED Floodlight-EQ 70W-3000-GY-GP-VLT	4,380	6
543017006110	70W	6500K	LED Floodlight-EQ 70W-6500-GY-GP-VLT	4,380	6
543017006010	100W	3000K	LED Floodlight-EQ 100W-3000-GY-GP-VLT	5,580	4
543017005810	100W	6500K	LED Floodlight-EQ 100W-6500-GY-GP-VLT	5,580	4

Features & Benefits

• IP66 water and dust proof • Smooth and modern appearance • Vibration proof, wind-resistant, rust proof • (-) 30 to +50 operating temp



LED Color Flood Light

Application

HIGH LUMEN
EFFICACY

IP66
PROTECTION
RATING



Landscape



Square



Parking



Architecture



Billboard

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
543017027810	20W	Blue	LED floodlight-E II 20W-B-GY-GP	-	18
543017027910	20W	Green	LED floodlight-E II 20W-G-GY-GP	-	18
543017028010	20W	Amber	LED floodlight-E II 20W-A-GY-GP	-	18
543017028310	50W	Amber	LED floodlight-E II 50W-A-GY-GP	5,499	6
543017028410	50W	Blue	LED floodlight-E II 50W-B-GY-GP	5,499	6
543017028510	50W	Green	LED floodlight-E II 50W-G-GY-GP	5,499	6

Features & Benefits

• IP66 / IK08 Specification • Wide Operating Voltage range • Long working hours

PROFESSIONAL



LED Flood Light EcoMax H

IP65 IP65



Application

Landscape

Square

Parking

Architecture

Billboard

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140064730	200	5700	LED Floodlight-EII-60D-GY-GP	27000	4
543098001710	-	-	Flood light Ecomax 2X200W Bracket	-	-

Features & Benefits

- Slim & Compact design
- Robust Housing and refined finished coating
- 50% lower energy consumption & longer life span
- IP 65, IK 08, upto 100 lumen/W
- Vibration, wind & rust proof product
- Excellent thermal management for stable performance
- Long life, low maintenance cost and easy installation
- Surge Protection 10KV



LED Bulkhead (EcoMax)



IP65 IP65



Application

Villa

Garden

Corridor

Building

Warehouse

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
543022000310	6.5	3000K	LED bulkhead-E 6.5W-3000-FR-GP	1100	45
543022000410	6.5	4000K	LED bulkhead-E 6.5W-4000-FR-GP	1100	45
543022000510	6.5	6500K	LED bulkhead-E 6.5W-6500-FR-GP	1100	45
543022000610	13	3000K	LED bulkhead-E 13W-3000-FR-GP	1790	50
543022000710	13	4000K	LED bulkhead-E 13W-4000-FR-GP	1790	50
543022000810	13	6500K	LED bulkhead-E 13W-6500-FR-GP	1790	50

Features & Benefits

- Upto 100lm/w, 30Khrs lifespan
- IP65 rated, IK08 anti-shock rating
- Outstanding water-proof design, adaptable in rough environment
- Impact resistant, low maintenance
- Upto to 90 % energy saving compared to conventional wall light

PROFESSIONAL



LED Street Light EQ



HIGH LUMEN EFFICACY



FLICKER FREE



Minor Road



Parking



Resident Area




Pedestrian Area

Application

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
543014043200	20	3000	LEDStreetlight-EQ20W-3000-150+70D-GY-GP2	3500	12
140058467	20	4000	LEDStreetlight-EQ 20W-4000-150+70D-GY-GP	3500	6
543014043400	20	5700	LEDStreetlight-EQ20W-5700-150+70D-GY-GP2	3500	12
140058463	40	3000	LEDStreetlight-EQ 40W-3000-150+70D-GY-GP	5500	6
140058465	40	4000	LEDStreetlight-EQ 40W-4000-150+70D-GY-GP	5500	6
140058464	40	5700	LEDStreetlight-EQ 40W-5700-150+70D-GY-GP	5500	6
140066457	60	3000	LEDStreetlight-EQ 60W-3000-150+70D-GY-GP	8500	4
140066458	60	4000	LEDStreetlight-EQ 60W-4000-150+70D-GY-GP	8500	4
140066459	60	5700	LEDStreetlight-EQ 60W-5700-150+70D-GY-GP	8500	4

Features & Benefits

- Flicker free • Uniform light output • High Efficiency - 100 Lm / W • 4.5 KV Surge protection • Wide Range operating voltage



LED Street Light PQ



HIGH LUMEN OUTPUT



IP65 PROTECTION RATING



ENERGY SAVING



LONG LIFESPAN



Pedestrian Area



Yard



Parking



Road



Resident Area



Square

Application

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140063309	100	3000	LEDStreetlight-PQ 100W-3000-LG-GP	17990	2
140063310	100	4000	LEDStreetlight-PQ 100W-4000-LG-GP	17990	2
140063312	100	5700	LEDStreetlight-PQ 100W-5700-LG-GP	17990	2
140063317	150	3000	LEDStreetlight-PQ 150W-3000-LG-GP	19990	2
140063318	150	4000	LEDStreetlight-PQ 150W-4000-LG-GP	19990	2
140063320	150	5700	LEDStreetlight-PQ 150W-5700-LG-GP	19990	2

Features & Benefits

- Wide application voltage range • Surge protection up to 5KV • Optional heat management • High lumen output, anti-glare • IP65 protection rating • Having the colour temperature of 3000 K, 4000 K and 5000 K • No dark spaces, excellent light effect • Safe for outdoor use, weather resistant • Up to 60% energy saving compared to HPS streetlight • Long life, low maintenance cost

PROFESSIONAL

PHASE OUT

LIGHT SOURCE



CONSUMER



PROFESSIONAL





OPPLE


PROJECTS INDIA



oppo



amazon



OPPLE

PROJECTS INDIA



OPPLE'S ILLUMINATED CLIENTELE

Esteemed Customers - Retail Segment



Esteemed Customers - Hospitality Segment



Esteemed Customers - Healthcare Segment



Esteemed Customers - Education Segment



Esteemed Customers - Office Segment



Esteemed Customers - Industrial Segment



Esteemed Customers - Religious Segment



TERMS AND CONDITIONS :

1. This price list supercedes all earlier price lists.
2. Prices are subject to change without notice as per company discretion.
3. Opple Lighting India Pvt. Ltd. reserves the right to make changes in the design and data without any prior notice.
4. Care has been taken to ensure that the information contained within this list is correct. Company reserves the right to issue amendments, which may arise due to any errors in the price list.
5. MRP prices are inclusive of GST. They are the maximum recommended prices. However dealers/retailers are free to sell below the maximum recommended prices.
6. All rights reserved. Reproduction in whole or in part is prohibited.
7. 2 year warranty are applicable on specific product only.
8. Selected products are specifically made in India. For details contact your nearest dealer/retail outlet.

OPPLE

Opple Lighting India Private Limited

DJ-1012/14/15, DLF Tower-B, Jasola District Centre, New Delhi - 110025, India

T +91 11 49881800, +91 11 49881888, 18 00 102 5383

E customercare.india@opple.com

Follow us on:



[/opplelightingindia](https://www.facebook.com/opplelightingindia)



[/opple_india](https://www.instagram.com/opple_india)



[/opplelightingindia](https://www.linkedin.com/company/opplelightingindia)



[/Oppleindia](https://twitter.com/Oppleindia)

OPPLE.COM

DEALER STAMP